

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
0.5.4-362	FAUDI		FO-614PLF1/2	
0.5.5-1130	FAUDI		FO-644PLF1/2M	
031935B	BENDIX		SO-417PLM	
033325	BENDIX		SO-417CT	ADAPTER 4000T REQUIRED
033330	BENDIX		I-4218T	ADAPTER 4000T REQUIRED
041105M1	BENDIX		CDF-205N	REPLACED S-1 ALSO 041105 041105-12
041105M2	BENDIX		CDF-205N	DELTA P TYPE W/SHUTOFF VALVE
041210M1	BENDIX		CDF-210N	REPLACED S-1 ALSO-041210 041210-12
041210M2	BENDIX		CDF-210N	DELTA P TYPE W/SHUTOFF VALVE
041315M1	BENDIX		CDF-215N	REPLACES S-1 ALSO 041315 041315-12
041315M2	BENDIX		CDF-215N	DELTA P TYPE W/SHUTOFF VALVE
041420M1	BENDIX		CDF-220N	REPLACES S-1 ALSO 041420 041420-12
041420M2	BENDIX		CDF-220N	DELTA P TYPE W/SHUTOFF VALVE
041525M1	BENDIX		CDF-225N	REPLACES S-1 ALSO 041525 041525-12
041525M2	BENDIX		CDF-225N	DELTA P TYPE W/SHUTOFF VALVE
041630M1	BENDIX		CDF-230N	REPLACES S-1 ALSO 041630 041630-12
041630M2	BENDIX		CDF-230N	DETA P TYPE S/SHUTOFF VALVE
04580003	BENDIX		I-4108	DOD DIESEL SERVICE 10"
04580004	BENDIX		I-4208C	REPLACED BY 045800-10
04580006	BENDIX		I-4108	DOD MIL-F-8901C 10"
04580010	BENDIX		I-4208C	DOD CARTRIDGE
04580011	BENDIX		I-4204	DIESEL GRADE DOD
046490	BENDIX		I-6442TB	STACK OF TWO (ALSO I-6442)
08M75	KEENE		3551	ALSO 3553
09M65	KEENE		3552	ALSO 3557
1.050.951	FAUDI		SO-633GS	
1.4-1130	FAUDI		FO-644PLF2	
1.4-362	FAUDI		FO-644PLF1M	
1050951	FAUDI		SO-633GS	
10M70	KEENE		3551	ALSO 3553
119905	KEENE		CDF-205N	
119910	KEENE		CDF-210N	
119915	KEENE		CDF-215N	
119920	KEENE		CDF-220N	
119925	KEENE		CDF-225N	
119930	KEENE		CDF-230N	
13216E277320	FACET	4330-01-511-8316	SI-522	
13216E277340	FACET	4330-01-511-8316	SI-542	
15.4-1130	FAUDI		FO-644PLF15M	
15.4-362	FAUDI		FO-614PLF1M	
2.4-1130	FAUDI		FO-644PLF2M	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
2.4-362	FAUDI		FO-644PLF2M	
2.4-362	FAUDI		FO-614PLF2	
2.4-727	FAUDI		FO-629PLF2	
2.7-1130	FAUDI		FO-644PLF2TB	
260AHS10	CIMCO		AC-409SP	
30.4-362	FAUDI		FO-614PLF25	
300HS10	CIMCO		AC-405SP	
303151	PUROLATOR		FO-608PL25	
3031520	PUROLATOR		FO-608PL25	
303161	PUROLATOR		FO-608PL25	
3031620	PUROLATOR		FO-608PL25	
30400201	NUGENT		FO-618FGA10	
30400202	NUGENT		FO-629FGA10	
30400203	NUGENT		FO-636FGA10	
30400208	NUGENT		FO-632FGA10	
30400209	NUGENT		FO-618FGA10	
30400210	NUGENT		FO-629FGA10	
30400211	NUGENT		FO-636FGA10	
30400223	NUGENT		FO-636FGA10	
3520	RACOR/BANNER		I-4208C	
3520-0-0	RACOR/BANNER			NO CROSS
45109XX05U	CUNO		AC-7191/2CR	STACK OF 3
45117XX05U	CUNO		AC-8071/2	
45130XX05U	CUNO		AC-8221/2	STACK OF 3 CUNO CHEAPY
4649	COMMERCIAL		FO-718PL15	FILTER 20M
4659	COMMERCIAL		FO-718PL05	FILTER 10M
4669	COMMERCIAL		FO-718PL15	FILTER 30M
4687	COMMERCIAL		FO-718PL05	FILTER 5M
47B37	KEENE		I-43183T	ALSO I-4316T
47M52	KEENE		SI-422A	DOD CANISTER TYPE; ALSO SI-422D
4858550	PUROLATOR		I-42587T	AVAIL ONLY FROM VELCON CANADA
4858814	PUROLATOR		I-44687T	AVAIL ONLY FROM VELCON CANADA
4859145	PUROLATOR		I-41681	
49B50	KEENE		I-43183T	ALSO I-4316T
5.4-1130	FAUDI		FO-644PLF5M	
5.4-362	FAUDI		FO-644PLF5M	
5.4-362	FAUDI		FO-614PLF5	
50604	BARON		FO-718PL1/2	
50606	BARON		FO-718PL05	
54749	PUROLATOR		I-4218T	PLUS 4000T VERT F/S NEEDS GTP-1055
57946	PUROLATOR		FO-424PL5	FILTER 4 X 24 - 5M

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
58921	PUROLATOR		FO-424PL5	FILTER 4 X 24 - 5M
60.4-1244D	FAUDI		SO-648C	
60.4-139/D	FAUDI		SO-606C	
60.4-196/D	FAUDI		SO-608C	
60.4-279/D	FAUDI		SO-611C	
60.4-362/D	FAUDI		SO-614C	
60.4-407/D	FAUDI		SO-616C	
60.4-525/D	FAUDI		SO-620C	
60.4-565/D	FAUDI		SO-623C	SO-623VA
60.4-727/D	FAUDI		SO-629C	
60.4-842/D	FAUDI		SO-633C	SO-633VA
60.4-900/D	FAUDI		SO-636CA	SO-636VA
60.4-965/D	FAUDI		SO-638CA	
				NOTE: C VERSION NOT AVAILABLE THIS HAS BLIND END LIKE V SERIES.
60.5-842/D	FAUDI		SO-633GS	
60/5965/D	FAUDI		SO-648C	
600086	KEENE		I-4258TB	(Bowser 846 Vessel) 3-3/4 X 1-1/4 X 26-1/2
600113	KEENE		SO-401NB	NAVY BFS UNITS ALSO SO-424PL
600114	KEENE		I-4160	
600142	KEENE		FO-412PL5	ALSO ACO-41201K
600148	KEENE		FO-718PL15	ALSO FO-618FGA10
600150	KEENE		FO-718PL05	ALSO FO-618FGA10
600153	KEENE		FO-718PL05	ALSO FO-618FGA10
600154	KEENE		FO-718PL05	6-1/8 X 2-17/32 X 18 NAVY QUAL. MIL-354C CLASS IV
600156	KEENE		FO-718PL05B	OUTER WRAP REM. WTRPROOF PAPER
600174	KEENE		FO-718PL1/2	
600343	KEENE		I-4208C	MIL-F-8901C DOD ELEMENT
600388	KEENE		I-4316T	ALSO I-43183T
601008	KEENE		SO-614C	MODEL 852
601044	KEENE		SO-616PLF3	6 X 3-1 X 16-1/2
601067	KEENE		I-62883TB	
601120	KEENE		FO-614PLF1/2	ALCO ACO-61401K
601122	KEENE		FO-614PLF15M	
601123	KEENE		FO-614PLF5M	ALSO FO-614FG10
601124	KEENE		FO-614PLF25M	ALSO FO-614FG25
601126	KEENE		FO-614PLF10	ALSO FO-614FG25
601157	KEENE		I-4204	DOD Size Coalescer for Diesel SVC
601162	KEENE		I-4216	Used in BFS-15-V
601163	KEENE		I-4156	ALSO I-4166TB
601164	KEENE		I-4186	ALSO I-4186 I-4186TB REQUIRES ADAPTER
601353	KEENE		I-4312T	Diesel Model 842

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
601404	KEENE		SO-401NB	NAVY BFS UNITS REPL OLD A-1711 ALSO SO-424PL
601436	KEENE		I-4236	KEENE MODEL 850 & 832-P 3-3/4 X 1-1/2 X 23-3/16
60150	KEENE		FO-718PL05	ALSO FO-618FGA10
608071	KEENE		I-4160	
608072	KEENE		I-4310	3-15/32 X 1-3/16 X 30-3/16
639878	FACET		3553	FIBERGLASS BOTTOM SHROUD
642302	PUROLATOR		I-4246R	
642305	PUROLATOR		I-4246	
8001624	PUROLATOR		FO-424PL5	
8001688	PUROLATOR		FO-412PL5	ALSO ACO-41201K FO-412PL2
8001690	PUROLATOR		FO-412PL5	ALSO ACO-41201K FO-412PL2
8001696	PUROLATOR		FO-418PL5	ALSO ACO-41801K
8001817	PUROLATOR		FO-424PL25	FILTER 4 X 24 - 25M
8001829	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 5M ALSO ACO-41801K
8001831	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 2M ALSO ACO-41801K
8001859	PUROLATOR		ACO-31001L	FILTER 3 X 9.75 - 5M
8002160	PUROLATOR		I-4218T	PLUS 4000T VERT F/S NEEDS GTP-1055
8002201	PUROLATOR		I-4176T	REQUIRES 4000T
8002225	PUROLATOR		I-4208F	
8002548	PUROLATOR		I-4246	
8002580	PUROLATOR		I-4208C	SAME AS FRAM CC-S1
8002844	PUROLATOR		FO-412PL5	FILTER 4 X 12 - 5M ALSO ACO-41201K
8002975	PUROLATOR		I-4246R	
8003003	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 5M. PFM-300 ALSO ACO-41801K
8003105	PUROLATOR		ACO-41201L	FILTER 4 X 12 - 10M ALSO ACO-41201K
8003105	PUROLATOR		FO-412PL5	FILTER 4 X 12 - 10M ALSO ACO-41201K
8003173	PUROLATOR		FO-412PL5	FILTER 4 X 12 - 10M
8003177	PUROLATOR		FO-424PL5	FILTER 4 X 24 - 5M
8006125	PUROLATOR		I-4208C	
88862	KEENE		FO-416APL5	USE TWO FO'S PLUS CK-1155
A11141	KEENE		O-4172	
A1118	KEENE		I-4156	Copper Silicone Tube 3-5/8x1-1/2x16-1/8
A1261	KEENE		I-4126	3-5/8 X 1-1/2 X 12-1/2
A1349	KEENE		O-4188	
A1389	KEENE		I-4208F	
A1389B	KEENE		I-4208C	MIL-F-8901A DOD ELEMENT
A1389C	KEENE		I-4208C	MIL-F-8901C DOD ELEMENT
A1442	KEENE		SO-417PLM	A-1442 Has Only 3-1/4 OD
A1525	KEENE		I-4156	3-5/8 X 1-1/2 X 16
A1536	KEENE		I-4248F	
A1571	KEENE		I-4246	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
A1711	KEENE		SO-424PL	NAVY BFS UNITS
A1779	KEENE		SO-611PLF3	ALSO SO-611C OR SO-611C
A1779	KEENE		SO-623C	STACK OF 2
A1779	KEENE		SO-633C	STACK OF 3
A1809	KEENE		SO-614PLF3	ALSO SO-614C
A1809	KEENE		SO-629PLF3	ALSO SO-629C (STACK OF 2)
A1809	KEENE		SO-644PLBZ	ALSO SO-643C (STACK OF 3)
A1809T	KEENE		SO-614C	PERM VERSION OF A-1809
A1810	KEENE		I-4246	BFS NAVY STD. 3-7/8 X 1-11/32 X 24-1/8
A1813	KEENE		I-4208F	
A1817	KEENE		I-54183TB	
A1853	KEENE		I-4186	ALSO I-4186TB
A1869	KEENE		I-4236	3-5/8 X 23-3/16
A18691	KEENE		I-4236	KEENE MODEL 850 & 832-P 3-3/4 X 1-1/2 X 23-3/16
A1957	KEENE		I-6226	6 X 3-1/2 X 22-1/2 ALSO I-6226TB
A1957	KEENE		I-6446	ALSO I-6446TB (STACK OF 2)
A1958	KEENE		I-6336	ALSO I-6336TB
A1983	KEENE		I-4316T	
A2015	KEENE		SO-614PLF3	REPLACED BY A-1809
A2016	KEENE		I-4366	ALSO SO-614C
A2017	KEENE		I-4366	
A2063	KEENE		I-43183T	ALSO I-4316T
A2063P	KEENE		I-43183T	ALSO I-4316T
A2066	KEENE		SO-424PL	NAVY BFS UNITS ALSO SO-401NB
A2069	KEENE		I-4160	
A2075	KEENE		I-6116	WITH CK-1160
A2075	KEENE		I-6226	(STACK OF 2)
A2075	KEENE		I-6336	(STACK OF 3)
A2076	KEENE		I-6146	6 X 2 X 14-1/2 ALSO I-6146T
A2076	KEENE		I-6286	ALSO I-6286TB -STACK OF 2
A2076	KEENE		I-6446	ALSO I-6446TB -STACK OF 3
A2080	KEENE		I-4308	BLIND ONE END
A3020	KEENE		I-6286	ALSO I-6286TB
A3023	KEENE		SO-616C	ALSO SO-616PLF3
A3023	KEENE		SO-633C	ALSO SO-633PLF3 (STACK OF 2) OR SO-633PLBZ
A3023	KEENE		SO-648C	(STACK OF 3)
A3024	KEENE		SO-623C	
A3025	KEENE		SO-629C	
A3026	KEENE		SO-633C	
A3027	KEENE		SO-633C	
A3028	KEENE		SO-643C	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
A3029	KEENE		SO-648C	
A3036	KEENE		I-4366	O RING ENDCAP
A3056	KEENE		SO-616C	
A3057	KEENE		I-4310	3-15/32 X 1-3/16 X 30-3/16
A3061	KEENE		SO-616PLF3	6 X 3-1 X 16-1/2
A3069	KEENE		I-4258TB	(Bowser 846 Vessel) 3-3/4 X 1-1/4 X 26-1/2
A418	KEENE		ACO-71801L	ALSO FO-718PL05 FO-618FGA5
A432	KEENE		FO-632FGA10	
A840	KEENE		I-4218T	Used in BFS-15-V REQUIRES ADAPTER
A840	KEENE		I-4408T	Used in BFS-15-V ADAPTER REQUIRED. STACK OF 2.
A840A	KEENE		I-4218T	Requires Adapter
A851	KEENE		I-4166TB	3-5/8 x 1-1/2 x 12 "T" Req Adapter; ALSO I-4156
A851A	KEENE		I-4166TB	REQUIRES ADAPTER; ALSO I-4156
A870	KEENE		I-4186TB	ALSO I-4184; I-4186; I-4186TB REQUIRES ADAPTER
A870	KEENE		I-4366	(STACK OF 2)
A870A	KEENE		I-4186TB	ALSO I-4184 I-4186; I-4186TB REQ. ADAPTER
ACP2963TB	RACOR/BANNER		I-62887TB	
ACP3363TB	RACOR/BANNER		I-63387TB	
ACP4363TB	RACOR/BANNER		I-64487TB	OR I-64485TB FOR FIXED
B9069	FACET		3553	FIBERGLASS BOTTOM (OR 3551 LINEN BOTTOM)
B9077	FACET		3556	LINEN BOTTOM
B9088	FACET		3557	FIBERGLASS BOTTOM (OR 3552 LINEN BOTTOM)
B9878	FACET		3551	LINEN BOTTOM
BP412	KEENE		ACO-41201L	ALSO FO-412PL5
BP412BN15	KEENE		ACO-41201L	ALSO FO-412PL5
BP419	KEENE		ACO-41801L	ALSO FO-418PL5 FO-418FG10
BP5181CK05	KEENE		ACO-41801L	ALSO: FO-418PL5
BP518CK15	KEENE		ACO-41801L	ALSO: FO-418PL5
BP614	KEENE		SERIES FO-614PL	ALSO SERIES FO-614FG
BP6140	KEENE		ACO-61401L	ALSO FO-614PLF5 FO-614FG10
BP6141	KEENE		ACO-61401L	ALSO FO-614PLF5M FO-614FG10
BP6142	KEENE		FO-614PLF25	ALSO FO-614FG25 AD-61425
BP6143	KEENE		FO-614PLF1/2	ALSO ACO-61401K
BP6144W	KEENE		FO-614PLF5	ALSO ACO-61401K FO-614FG10
BP6145	KEENE		FO-614PLF15M	
BP6146	KEENE		FO-614PLF25M	ALSO FO-614FG25
BP614BN01/2	KEENE		FO-614PLF1/2	ALSO ACO-61401K
BP614BN05	KEENE		FO-614PLF5	ALSO ACO-61401K FO-614FG10
BP614BN05WB	KEENE		FO-614PLF15	15M OUTER WRAP REM WTRPROOF PAPER
BP614BN15	KEENE		FO-614PLF15M	
BP614BN25	KEENE		FO-614PLF25M	ALSO FO-614FG25 AD-61425

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
BP614BN40	KEENE		FO-614PLF25	BP-614 IS 40M ALSO FO-614FG25
BP614W	KEENE		FO-614PLF15	15M OUTER WRAP REM WTRPROOF PAPER
BP718	KEENE		FO-718PL15	ALSO FO-618FGA10
BP718	KEENE		FO-636FG10	(STACK OF 2)
BP718	KEENE		FO-636FGA10	(STACK OF 2)
BP7181	KEENE		FO-718PL05	ALSO FO-618FG10
BP7183	KEENE		FO-718PL1/2	
BP7184	KEENE		FO-718PL05	5M EPOXY ADHESIVE ALSO FO-618FG10
BP718BU05B	KEENE		FO-718PL05	5M EPOXY ADHESIVE ALSO FO-618FG10
BP718CK01/2B	KEENE		FO-718PL1/2	
BP718CK05	KEENE		FO-718PL05	ALSO FO-618FG10
BP718CK05N	KEENE		FO-718PL05	6-1/8 X 2-17/32 X 18 NAVY QUAL. MIL-354C CLASS IV
BP718CK05WB	KEENE		FO-718PL05B	OUTER WRAP REM. WTRPROOF PAPER
BP718CK15	KEENE		FO-718PL15	6-1/8 X 2-17/31 X 18 15M; ALSO FO-618FGA10
BP718W	KEENE		FO-718PL05B	OUTER WRAP REM. WTRPROOF PAPER
C20373	RACOR/BANNER		I-4208C	DOD (NSN: 4330-00-983-0998)
C220007	KEENE		I-4156	3-5/8 X 1-1/2 X 16
C220013	KEENE		SO-611PLF3	ALSO SO-611C
C220016	KEENE		I-6286TB	ALSO I-6282
C296	FACET		FO-336FG10	
C35	RELLUMIT		FO-410APL2	
C43	RELLUMIT		FO-412APL2	
C47	FACET		FO-629PLF5	ALSO FO-629FG2 ACO-62901K
C58	RELLUMIT		FO-416APL2	
C70	RELLUMIT		FO-419APL2	
C701	FACET	4330-01-109-1411	FO-614PLF2	ALSO FO-614FG10 ACO-61401K
C7011	FACET		FO-614PLF1/2	ALSO ACO-61401K
C702	FACET		FO-629PLF25	STACK OF 2 ALSO FO-629FG25
C702	FACET		FO-644PLF25M	STACK OF 3 ALSO FO-644FG25
C702	FACET		FO-614PLF25	ALSO FO-614FG25 AD-61425
C7023	FACET		FO-644PLF25M	ALSO FO-644FG25
C702SD	FACET		FO-614PLF25	(AND C-702HD) ALSO FO-614FG25 AD-61425
C704	FACET		FO-424PL5	
C705	FACET		FO-614PLF5	ALSO--FO-614FG10 ACO-61401K
C706	FACET		FO-418PL5	ALSO ACO-41801K
C707	FACET		FO-412PL5	ALSO ACO-41201K ACO-41201K
C708	FACET		FO-644PLF25	STACK OF 3 ALSO FO-644FG25
C708	FACET		FO-629PLF25	STACK OF 2 ALSO FO-629FG25
C708	FACET		FO-614PLF25	ALSO FO-614FG25 AD-61425
C7080	FACET		FO-614PLF25M	
C7080	FACET		FO-644PLF25M	STACK OF 3

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
C709	FACET		FO-614PLF25M	
C709SD	FACET		FO-614PLF25M	(AND C-709HD)
C722	FACET		FO-718PL15	ALSO C-722B
C724	FACET		FO-608PL25	ALSO ACO-60801K
C725	FACET		FO-608PL25	
C725	FACET		FO-608PL25	
C7272	FACET		CO-718CEB	CLAY BAG (FILTERDYNE)
C7276	FACET		CO-718CEB	CLAY BAG (FILTERDYNE)
C729	FACET	4330-01-034-1312	FO-614PLF10	ALSO FO-614FG10
C729	FACET	4330-01-034-1312	FO-629PLF10	STACK OF 2 ALSO FO-629FG10
C729	FACET	4330-01-034-1312	FO-644PLF10M	STACK OF 3 ALSO FO-644FG5
C730	FACET		FO-608PL25	ALSO ACO-60801K
C732	FACET		FO-608PL25	ALSO ACO-60801K
C736	FACET		FO-614PLF75	
C739	FACET		FO-614PLF25M	
C744	FACET		FO-629PLF5	STACK OF TWO ALSO FO-629FG10
C744	FACET		FO-644PLF5M	STACK OF THREE ALSO FO-644FG5
C744	FACET		FO-614PLF5	ALSO FO-614FG10 ACO-6140K
C7440	FACET		FO-614PLF5M	ALSO ACO-61401K
C7440SD	FACET		FO-614PLF5M	AND C-744-SD
C74415	FACET		FO-614PLF15	ALSO FO-614FG10 ACO-61401K
C744150	FACET		FO-614PLF15M	
C7443	FACET		FO-644PLF5M	FO-644PLF5M
C744A	FACET		FO-614PLF5A	
C744A	FACET		FO-614PLF5A	VITON A GASKETS
C744SD	FACET		FO-614PLF5M	
C763	FACET	4330-00-731-1197	FO-614PLF2	ALSO ACO-61401K
C7630	FACET		FO-614PLF2	C-763-0 HAS PERF OUTER WRAP
C7631	FACET	4330-00-731-1197	FO-614PLF2	
C7661	FACET		CO-718CE	
C7663	FACET		CO-718CE	
C779	FACET		FO-629PLF25	
C780	FACET		FO-629PLF10	ALSO FO-629FG10
C8069	FACET		FO-614PLF1/2	ALSO ACO-61401K
CA11	FRAM		I-61183	
CA111	FACET		I-61183	
CA113	FACET		I-61185	
CA118	FACET		I-61183	
CA119	FACET		I-61187	I-61187 for mobile equipment - refer to I-61185 for fixed equipment Inside Out Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA14	FRAM		I-61483	ALSO I-61483TB

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CA141	FACET		I-61483	
CA143	FACET		I-61487	I-61487 for mobile equipment - refer to I-61485 for fixed equipment Inside Out Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA143SB	FACET		I-61487TB	I-61487TB for mobile equipment - refer to I-61485TB for fixed equipment Inside Out Flow 14.000 inch OAL 6.000 inch OD 0.3 Micron
CA148	FACET		I-61483	
CA149	FACET		I-61487	I-61487 for mobile equipment - refer to I-61485 for fixed equipment Inside Out Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA149SB	FACET		I-61487TB	I-61487TB for mobile equipment - refer to I-61485TB for fixed equipment Inside Out Flow 14.000 inch OAL 6.000 inch OD 0.3 Micron
CA22	FRAM		I-62283	ALSO I-62283TB
CA221	FACET		I-62283	I-62283 is used for AV gas - refer to I-62285 OR I-62287 for jet fuel applications Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K27 CC-K28.
CA223	FACET		I-62287	I-62287 for mobile equipment - refer to I-62285 for fixed equipment Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA223SB	FACET	4330-01-458-9915	I-62287TB	I-62287TB for mobile equipment - refer to I-62285TB for fixed equipment Inside Out Flow 22.000 inch OAL 6.000 inch OD 0.3 Micron
CA228	FACET		I-62283	I-62283 is used for AV gas - refer to I-62285 OR I-62287 for jet fuel applications Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K27 CC-K28.
CA229	FACET		I-62287	I-62287 for mobile equipment - refer to I-62285 for fixed equipment Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA229SB	FACET		I-62287TB	I-62287TB for mobile equipment - refer to I-62285TB for fixed equipment Inside Out Flow 22.000 inch OAL 6.000 inch OD 0.3 Micron
CA28	FRAM		I-62883	ALSO I-62883TB
CA281	FACET		I-62883	
CA283	FACET		I-62887	I-62887 for mobile equipment - refer to I-62885 for fixed equipment Inside Out Flow 28.750 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA283SB	FACET		I-62887TB	I-62887TB for mobile equipment - refer to I-62885TB for fixed equipment Inside Out Flow 27.938 inch OAL 6.000 inch OD 0.3 Micron
CA285SB	FACET		I-628C5TB	5TH EDITION COALESCER
CA288	FACET		I-62883	
CA289	FACET		I-62887	I-62887 for mobile equipment - refer to I-62885 for fixed equipment Inside Out Flow 28.750 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA289SB	FACET		I-62887TB	I-62887TB for mobile equipment - refer to I-62885TB for fixed equipment Inside Out Flow 27.938 inch OAL 6.000 inch OD 0.3 Micron
CA33	FRAM		I-63383	ALSO I-63383TB
CA331	FACET		I-63383	I-63383 is used for AV gas - refer to I-63385 OR I-63387 for jet fuel applications Inside Out Flow 33.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K37 CC-K38.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CA333	FACET		I-63387	ALSO I-63385
CA333SB	FACET		I-63387TB	I-63387TB for mobile equipment - refer to I-63385TB for fixed equipment Inside Out Flow 33.000 inch OAL 6.000 inch OD 0.3 Micron
CA335SB	FACET		I-633C5TB	5TH EDITION COALESCER
CA339	FACET		I-63387	ALSO I-63385
CA339SB	FACET		I-63387TB	I-63387TB for mobile equipment - refer to I-63385TB for fixed equipment Inside Out Flow 33.000 inch OAL 6.000 inch OD 0.3 Micron
CA33A9	FACET		I-63385F2	
CA381	FACET		I-63883	
CA383	FACET		I-63887	ALSO I-63885
CA383SB	FACET	4330-01-491-4682	I-63887TB	I-63887TB for mobile equipment - refer to I-63885TB for fixed equipment Inside Out Flow 38.000 inch OAL 6.000 inch OD 0.3 Micron
CA388	FACET		I-63883	
CA389	FACET		I-63887	ALSO I-63885
CA389SB	FACET		I-63887TB	I-63887TB for mobile equipment - refer to I-63885TB for fixed equipment Inside Out Flow 38.000 inch OAL 6.000 inch OD 0.3 Micron
CA43	FRAM		I-64483	ALSO I-64483TB
CA431	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 OR I-64487 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CA433SB	FACET	4330-01-491-4685	I-64487TB	I-64487TB for mobile equipment - refer to I-64485TB for fixed equipment Inside Out Flow 44.000 inch OAL 6.000 inch OD 0.3 Micron
CA438	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 OR I-64487 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CA439	FACET		I-64487	I-64487 for mobile equipment - refer to I-64485 for fixed equipment Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.3 Micron
CA439SB	FACET		I-64487TB	I-64487TB for mobile equipment - refer to I-64485TB for fixed equipment Inside Out Flow 44.000 inch OAL 6.000 inch OD 0.3 Micron
CA561	FACET		I-65683	
CA563	FACET		I-65687	ALSO I-65685
CA563SB	FACET	4330-01-442-5009	I-65687TB	ALSO I-65685TB
CA568	FACET		I-65683	
CA569	FACET		I-65687	
CA569SB	FACET		I-65687TB	ALSO I-65685TB
CAA289	FACET		I-62885	I-62887 for mobile equipment - refer to I-62885 for fixed equipment Inside Out Flow 28.750 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron
CAA289SB	FACET		I-62885TB	I-62887TB for mobile equipment - refer to I-62885TB for fixed equipment Inside Out Flow 27.938 inch OAL 6.000 inch OD 0.5 Micron
CAA439	FACET		I-64485	I-64487 for mobile equipment - refer to I-64485 for fixed equipment Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CAA439SB	FACET		I-64485TB	I-64487TB for mobile equipment - refer to I-64485TB for fixed equipment Inside Out Flow 44.000 inch OAL 6.000 inch OD 0.5 Micron
CAA569	FACET		I-65685	
CAA569SB	FACET		I-65685TB	
CB11	FACET		I-6112	
CB14	FACET		I-6142	
CB22	FACET		I-6222	
CB28	FACET	4330-00-779-0651	I-6282	
CB33	FACET		I-6332	
CB43	FACET		I-6442	
CB56	FACET		I-6562	
CC1	FACET		O-4172	
CC11	FACET		I-6110	
CC14	FACET	4330-00-931-2472	I-6140	(OLD CC-14 IS I-4208F)
CC15	FACET	4330-00-931-2473	I-4248F	US NAVY; ALSO I-4246
CC16	FACET		I-4248F	US NAVY; ALSO I-4246
CC17	FACET		I-4248F	US NAVY; ALSO I-4246
CC21	FACET	4330-00-001-7841	ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7.36 USGPM.
CC211	FACET		ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7.36 USGPM.
CC212	FACET		ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7.36 USGPM.
CC217	FACET	4330-00-001-7841	OS-60988	
CC21C	FACET	4330-01-198-4384	OS-60986	
CC22	FACET		I-6220	
CC227	FACET		OS-61288	
CC22C	FACET		OS-61286	
CC237	FACET	4330-00-363-6122	O-81488	FACET SUPER-FLEX 1-HI
CC237	FACET		O-82888	FACET SUPER-FLEX 2-HI
CC237	FACET		O-84288	FACET SUPER-FLEX 3-HI
CC23C	FACET		AD-61425	CK-1158 CK-1159 OR CK-1162 REQD
CC28	FACET		I-6280	
CC2817SB	FACET		I-63883TB	I-63883TB is used for AV gas - refer to I-63885TB OR I-63887TB for jet fuel applications Inside Out Flow 38.000 inch OAL 6.000 inch OD 1 Micron
CC33	FACET		I-6330	
CC4	FACET		O-4172	CC-4 HAS BRASS COMPONENTS
CC43	FACET		I-6440	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CC5	FACET		O-4188	
CC51	FACET		O-4188	
CC56	FACET		I-6560	
CC7	FACET		O-4188	
CC8652SB1	FACET		I-63883TB	I-63883TB is used for AV gas - refer to I-63885TB OR I-63887TB for jet fuel applications Inside Out Flow 38.000 inch OAL 6.000 inch OD 1 Micron
CC8682	FACET		I-61483	
CC8683	FACET	4330-01-329-3138	I-62883	
CC8684	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 OR I-64487 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CC8685	FACET		I-61183	
CC8686	FACET		I-62283	I-62283 is used for AV gas - refer to I-62285 OR I-62287 for jet fuel applications Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K27 CC-K28.
CC8687	FACET		I-63383	I-63383 is used for AV gas - refer to I-63385 OR I-63387 for jet fuel applications Inside Out Flow 33.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K37 CC-K38.
CC8688SB	FACET		I-62283TB	I-62283TB is used for AV gas - refer to I-62285TB OR I-62287TB for jet fuel applications Inside Out Flow 22.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K27SB CC-K28SB.
CC8689SB	FACET		I-62883TB	I-62883TB is used for AV gas - refer to I-62885TB OR I-62887TB for jet fuel applications Inside Out Flow 27.938 inch OAL 6.000 inch OD 1 Micron FACET CC-N27SB CC-N28SB. (REPLACES I-62881TB).
CC8690SB	FACET		I-63383TB	I-63383TB is used for AV gas - refer to I-63385TB OR I-63387TB for jet fuel applications Inside Out Flow 33.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K37SB CC-K38SB.
CC8691SB	FACET		I-64483TB	I-64483TB is used for AV gas - refer to I-64485TB OR I-64487TB for jet fuel applications Inside Out Flow 44.000 inch OAL 6.000 inch OD 1 Micron FACET CC-N37SB CC-N38SB.
CC8692SB	FACET		I-65683TB	
CC9	FACET		O-4188	
CC91	FACET		O-4188	
CCA1	FACET		I-6142	
CCA1	FACET		I-6282	(STACK OF 2) ALSO I-6282TB
CCA1	FACET		I-6442	(STACK OF 3) ALSO I-6442TB
CCA1C	FACET		I-6142	
CCA1C	FACET		I-6280	(STACK OF 2) ALSO: I-6282TB
CCA1C	FACET		I-6440	(STACK OF 3) ALSO: I-6440TB
CCA2	FACET	4330-00-779-0651	I-6282	ALSO I-6282TB
CCA2	FACET	4330-00-779-0651	I-6562	(STACK OF 2) ALSO: I-6562TB

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CCA2C	FACET		I-6280	ALSO I-6282TB
CCA2C	FACET		I-6562	(STACK OF 2) ALSO: I-6560TB
CCA3	FACET		I-6442	ALSO I-6442TB
CCA3C	FACET		I-6440	ALSO I-6442TB
CCA3SB	FACET		I-6442TB	
CCA4	FACET		I-6562	ALSO I-6562TB
CCA4C	FACET		I-6562	ALSO I-6560TB
CCA4SB	FACET		I-6562TB	
CCE1	FACET		I-6222	(STACK OF 2)
CCE1	FACET		I-6332	(STACK OF 3)
CCE1C	FACET		I-6222	(STACK OF 2)
CCE2	FACET	4330-00-737-0225	I-6222	
CCE2	FACET	4330-00-737-0225	I-6442	(STACK OF 2) ALSO: I-6442TB
CCE2C	FACET		I-6222	
CCE2C	FACET		I-6440	(STACK OF 2) ALSO: I-6440TB
CCE3	FACET		I-6332	
CCE3C	FACET		I-6330	
CCE4	FACET		I-6442	ALSO I-6442TB
CCF11	FACET		I-4316T	USE 3551 SHROUD
CCF13	FACET		I-43183T	USE 3553 SHROUD
CCF15	FACET		I-43183T	USE 3553 SHROUD
CCF17	FACET		I-43183T	(3553 SHROUD)
CCF41	FACET		I-43183T	L.A.T. O'HARE
CCF51	FACET		I-44083T	USE 3557 SHROUD
CCF55SB	FACET		I-44083T	USE 3557 SHROUD
CCF57SB	FACET		I-44083T	USE 3557 SHROUD
CCF6	FACET		I-43883TN	PONYA TYPE THREADED BASE
CCF81	FACET		I-4186TB	REQUIRES 4000T FOR BF-210 CONV
CCK1	FACET	4330-00-690-4212	I-6116	
CCK1	FACET	4330-00-690-4212	I-6226	ALSO I-6226TB (STACK OF 2)
CCK1	FACET	4330-00-690-4212	I-6336	ALSO I-6336TB (STACK OF 3)
CCK11	FACET	4330-00-690-4212	I-6116	
CCK11	FACET	4330-00-690-4212	I-6226	ALSO I-6226TB (STACK OF 2)
CCK11	FACET	4330-00-690-4212	I-6336	ALSO I-6336TB (STACK OF 3)
CCK12	FACET		I-6116	
CCK12	FACET		I-6226	ALSO I-6226TB (STACK OF 2)
CCK12	FACET		I-6336	ALSO I-6336TB (STACK OF 3)
CCK18	FACET		I-63383	I-62283 is used for AV gas - refer to I-62285 or I-62287 for jet fuel applications (Two CC-K18's are equivalent to one I-62283) Inside Out Flow 33.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K37 CC-K38.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CCK1AF	FACET		I-6116	
CCK1AF	FACET		I-6226	ALSO I-6226TB (STACK OF 2)
CCK1AF	FACET		I-6336	ALSO I-6336TB (STACK OF 3)
CCK2	FACET	4330-00-737-0225	I-6226	ALSO I-6226TB
CCK2	FACET	4330-00-737-0225	I-6446	ALSO I-6446TB (STACK OF 2)
CCK21	FACET	4330-00-737-0225	I-6226	ALSO I-6226TB
CCK21	FACET	4330-00-737-0225	I-6446	ALSO I-6446TB (STACK OF 2)
CCK21SB	FACET		I-6226TB	
CCK22	FACET		I-6226	ALSO I-6226TB
CCK22	FACET		I-6446	ALSO I-6446TB (STACK OF 2)
CCK27	FACET		I-62283	I-62283 is used for AV gas - refer to I-62285 or I-62287 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCK27SB	FACET	4330-01-103-1580	I-62283TB	I-62283TB is used for AV gas - refer to I-62285TB OR I-62287TB for jet fuel applications Inside Out Flow 22.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K27SB CC-K28SB.
CCK28	FACET		I-64483	I-62283 is used for AV gas - refer to I-62285 or I-62287 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCK28SB	FACET	4330-01-103-1580	I-62283TB	I-62283TB is used for AV gas - refer to I-62285TB OR I-62287TB for jet fuel applications Inside Out Flow 22.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K27SB CC-K28SB.
CCK2AF	FACET	4330-00-737-0225	I-6226	ALSO I-6226TB
CCK2AF	FACET	4330-00-737-0225	I-6446	ALSO I-6446TB (STACK OF 2)
CCK3	FACET	4330-00-856-0518	I-6336	ALSO I-6336TB
CCK31	FACET		I-6336	ALSO I-6336TB
CCK31SB	FACET		I-6336TB	
CCK32	FACET	4330-00-856-0518	I-6336	ALSO I-6336TB
CCK37	FACET		I-63383	I-63383 is used for AV gas - refer to I-63385 OR I-63387 for jet fuel applications Inside Out Flow 33.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K37 CC-K38.
CCK37SB	FACET		I-63383TB	I-63383TB is used for AV gas - refer to I-63385TB OR I-63387TB for jet fuel applications Inside Out Flow 33.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K37SB CC-K38SB.
CCK38	FACET		I-63383	I-63383 is used for AV gas - refer to I-63385 OR I-63387 for jet fuel applications Inside Out Flow 33.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-K37 CC-K38.
CCK38SB	FACET		I-63383TB	I-63383TB is used for AV gas - refer to I-63385TB OR I-63387TB for jet fuel applications Inside Out Flow 33.000 inch OAL 6.000 inch OD 1 Micron FACET CC-K37SB CC-K38SB.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CCK38SB1	FACET		I-63883TB	I-63883TB is used for AV gas - refer to I-63885TB OR I-63887TB for jet fuel applications Inside Out Flow 38.000 inch OAL 6.000 inch OD 1 Micron
CCK3AF	FACET		I-6336	ALSO I-6336TB
CCK4	FACET		I-6446	ALSO I-6446TB
CCL1	FACET		I-4186TB	USE WITH 4000T IN BFS-210 ALSO I-4186
CCL11	FACET		I-4186TB	USE WITH 4000T IN BFS-210 ALSO I-4186
CCL17	FACET		I-4186TB	USE WITH 4000T IN BFS-210 ALSO I-4186
CCN1	FACET	4330-00-168-2398	I-6146	ALSO I-6146T
CCN1	FACET	4330-00-168-2398	I-6286	ALSO I-6286TB (STACK OF 2)
CCN1	FACET	4330-00-168-2398	I-6446	ALSO I-6446TB (STACK OF 3)
CCN11	FACET	4330-00-168-2398	I-6146	ALSO I-6146T
CCN11	FACET	4330-00-168-2398	I-6286	ALSO I-6286TB (STACK OF 2)
CCN11	FACET	4330-00-168-2398	I-6446	ALSO I-6446TB (STACK OF 3)
CCN12	FACET		I-6146	ALSO I-6146T
CCN12	FACET		I-6286	ALSO I-6286TB (STACK OF 2)
CCN12	FACET		I-6446	ALSO I-6446TB (STACK OF 3)
CCN17	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 or I-64487 for jet fuel applications (Three CC-N17's are equivalent to one I-64483) Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCN18	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 or I-64487 for jet fuel applications (Three CC-N18's are equivalent to one I-64483) Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCN18SB	FACET		I-61483TB	I-61483TB is used for AV gas - refer to I-61485TB OR I-61487TB for jet fuel applications Inside Out Flow 14.000 inch OAL 6.000 inch OD 1 Micron FACET CC-N17SB CC-N18SB.
CCN18SB1	FACET		I-61683TB	I-61683TB is used for AV gas - refer to I-61685TB OR I-61687TB for jet fuel applications Inside Out Flow 16.500 inch OAL 6.000 inch OD 1 Micron
CCN1AF	FACET		I-6146	ALSO I-6146T
CCN1AF	FACET		I-6286	ALSO I-6286TB (STACK OF 2)
CCN1AF	FACET		I-6446	ALSO I-6446TB (STACK OF 3)
CCN2	FACET		I-6286	ALSO I-6286TB
CCN2	FACET		I-6566	ALSO I-6566TB (STACK OF 2)
CCN21	FACET	4330-00-779-0651	I-6286	ALSO I-6286TB
CCN21	FACET	4330-00-779-0651	I-6566	ALSO I-6566TB (STACK OF 2)
CCN21SB	FACET		I-6286TB	
CCN22	FACET		I-6286	ALSO I-6286TB
CCN22	FACET		I-6566	ALSO I-6566TB (STACK OF 2)
CCN27	FACET		I-62883	ALSO I-62883TB
CCN27	FACET		I-65683	ALSO I-65683TB (STACK OF 2)

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CCN27SB	FACET		I-62883TB	I-62883TB is used for AV gas - refer to I-62885TB OR I-62887TB for jet fuel applications Inside Out Flow 27.938 inch OAL 6.000 inch OD 1 Micron FACET CC-N27SB CC-N28SB. (REPLACES I-62881TB).
CCN28	FACET		I-62883	ALSO I-62883TB
CCN28	FACET		I-65683	ALSO I-65683TB (STACK OF 2)
CCN28SB	FACET		I-62883TB	I-62883TB is used for AV gas - refer to I-62885TB OR I-62887TB for jet fuel applications Inside Out Flow 27.938 inch OAL 6.000 inch OD 1 Micron FACET CC-N27SB CC-N28SB. (REPLACES I-62881TB).
CCN2AF	FACET		I-6286	ALSO I-6286TB
CCN2AF	FACET		I-6566	ALSO I-6566TB (STACK OF 2)
CCN3	FACET		I-6446	ALSO I-6446TB
CCN31	FACET		I-6446	ALSO I-6446TB
CCN31SB	FACET		I-6446TB	
CCN32	FACET		I-6446	ALSO I-6446TB
CCN33SB	FACET		I-64481TB	
CCN34SB	FACET		I-64481TB	
CCN35SB	FACET		I-64481TB	
CCN37	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 or I-64487 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCN37SB	FACET		I-64483TB	I-64483TB is used for AV gas - refer to I-64485TB OR I-64487TB for jet fuel applications Inside Out Flow 44.000 inch OAL 6.000 inch OD 1 Micron FACET CC-N37SB CC-N38SB.
CCN38	FACET		I-64483	I-64483 is used for AV gas - refer to I-64485 or I-64487 for jet fuel applications Inside Out Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 1 Micron FACET CC-N37 CC-N38.
CCN38SB	FACET		I-64483TB	I-64483TB is used for AV gas - refer to I-64485TB OR I-64487TB for jet fuel applications Inside Out Flow 44.000 inch OAL 6.000 inch OD 1 Micron FACET CC-N37SB CC-N38SB.
CCN3AF	FACET		I-6446	ALSO I-6446TB
CCN4	FACET		I-6566	ALSO I-6566TB
CCN41SB	FACET		I-6566TB	
CCN47SB	FACET		I-65683TB	
CCN48	FACET		I-65683	ALSO I-65683TB
CCN48SB	FACET		I-65683TB	
CCN4AF	FACET		I-6566	ALSO I-6566TB
CCP11	FACET		I-4068R	CC-P11A is equal to I-4068RV both Viton
CCP19	FACET		I-4068R	
CCP1Y	FACET		I-4068R	CC-P1Y IS 25 MICRON
CCP2	FACET		I-4138R	
CCP21	FACET		I-4138R	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CCP23	FACET		I-4138R	
CCP24	FACET		I-4138R	
CCR1	FACET		I-4368R	
CCR11	FACET		I-4368R	
CCR2	FACET		I-4246	
CCR21	FACET		I-4246	
CCS11	FACET		I-4208C	ALSO CC-S11A CC-S11B CC-S11C
CCS11C10	FRAM		I-4108	
CCS11F	FACET		I-42087	API VERSION
CCT2C	FRAM		I-63383F	
CCT4C	FRAM		I-63383	ALSO I-63383TB
CCT5C	FRAM		I-61483	ALSO I-61483TB
CCT6C	FRAM		I-62883	ALSO I-62883TB
CCT7C	FRAM		I-61183	
CCT8C	FRAM		I-62283	ALSO I-62283TB
CCT9C	FRAM		I-64483	ALSO I-64483TB
CD13	FAUDI		I-4138R	
CD24454	RACOR/BANNER		I-4246	USN
CD6V	FACET		I-4068RV	VITON - WAS CC-P11A "A" MEANS VITON
CDS508	ALAN COBHAM		I-4208C	DOD COALESCER
CE28654S	RACOR/BANNER		I-62883	VFI ELEMENT NEEDS END SEAL PLATE
CE28678S	RACOR/BANNER		I-6482	
CE33654S	RACOR/BANNER		I-63383	VFI ELEMENT NEEDS END SEAL PLATE
CE33655S	RACOR/BANNER		I-6336	VFI ELEMENT NEEDS END SEAL PLATE
CE33658S	RACOR/BANNER		I-6332	VFI ELEMENT NEEDS END SEAL PLATE
CE44654S	RACOR/BANNER		I-64483	VFI ELEMENT NEEDS END SEAL PLATE
CE44655S	RACOR/BANNER		I-6446	VFI ELEMENT NEEDS END SEAL PLATE
CE44658S	RACOR/BANNER		I-6442	VFI ELEMENT NEEDS END SEAL PLATE
CE44678S	RACOR/BANNER		I-6442	VFI ELEMENT NEEDS END SEAL PLATE
CE56654S	RACOR/BANNER		I-65683A	VFI ELEMENT NEEDS END SEAL PLATE
CE56655S	RACOR/BANNER		I-6566	VFI ELEMENT NEEDS END SEAL PLATE
CE56658S	RACOR/BANNER		I-6562	VFI ELEMENT NEEDS END SEAL PLATE
CE56678S	RACOR/BANNER		I-6562	VFI ELEMENT NEEDS END SEAL PLATE
CF33	FACET		I-6336	
CF43	FACET		I-6446	
CF60910PLO	FACET			10M FILTER NO CROSS
CF60925PLO	FACET		25M FILTER	
CF6092PLO	FACET			2MI FILTER NO CROSS
CF61210PLO	FACET			10M FILTER NO CROSS
CF61225PLO	FACET		25M FILTER	
CF6122PLO	FACET			2MI FILTER NO CROSS

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CF61405MPLO	FACET		FO-614PLF1/2M	
CF61405PLO	FACET		FO-614PLF1/2M	
CF61415PLO	FACET		FO-614PLF15M	
CF6141PLO	FACET		FO-614PLF1M	
CF61425PLO	FACET		FO-614PLF25M	
CF6142MPLO	FACET		FO-614PLF2	
CF6142PLO	FACET		FO-614PLF2	
CF61440PLO	FACET		FO-614PLF50	
CF6145PLO	FACET		FO-614PLF5M	
CF61475PLO	FACET		FO-614PLF75	
CF64401PLO	FACET		FO-644PLF1M	
CF64405PLO	FACET		FO-644PLF1/2	
CF64415PLO	FACET		FO-644PLF10M	
CF64425PLO	FACET		FO-644PLF25M	
CF6442PLO	FACET		FO-644PLF2M	
CF64440PLO	FACET			NO CROSS
CF6445PLO	FACET		FO-644PLF5M	
CF64475PLO	FACET			NO CROSS
CH57PL	FACET		FO-614PLF5	ALSO FO-614FG10 ACO-61401K
CH57PL	FACET		FO-629PLF5	STACK OF 2 ALSO FO-629FG10 ACO-62901K
CH57PL	FACET		FO-644PLF5M	STACK OF 3 FO-644FG5
CH57PL2	FACET		FO-629PLF5	
CH57PLA	FACET		FO-614PLF5A	CH-57PL WITH VITON GASKETS
CH57PLO	FACET		FO-614PLF5M	PERFORATED OUTER WRAP
CI3416F20	KEENE		I-4156	3-5/8 X 1-1/2 X 16
CI3431020	KEENE		I-4310	3-15/32 X 1-3/16 X 30-3/16
CI3512F21	KEENE		I-4216	Used in BFS-15-V
CI3512F21	KEENE		I-4126	Old Bowser A-840
CI3516F21	KEENE		I-4166TB	3-5/8 x 1-1/2 x 12 "T" Req Adapter ALSO I-4156
CI3518F21	KEENE		I-4186TB	ALSO I-4184 I-4186; I-4186TB REQUIRES ADAPTER
CI3520020	KEENE		I-4208C	MIL-F-8901C DOD ELEMENT (4330-00-983-0998)
CI3520022	KEENE		I-4204	DOD Size Coalescer for Diesel SVC
CI3520024	KEENE		I-4208C	
CI3530010	KEENE		I-4308	Old Bowser A-2080
CI35300101	KEENE		I-4308	BLIND ONE END
CI3723F20	KEENE		I-4236	Also I-4234 Old Bowser A-1869
CI3723F20	KEENE		I-4236	KEENE MODEL 850 & 832-P 3-3/4 X 1-1/2 X 23-3/16
CI3724F20	KEENE		I-4246	BFS NAVY STD. 3-7/8 X 1-11/32 X 24-1/8
CI3724F20	KEENE		I-4246	Old Bowser A-1810
CI4530S0	KEENE		I-4316T	ALSO I-43183T
CI4530S2	KEENE		I-4312T	Diesel Model 842

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CI6011F2	KEENE		I-6116	
CI6014S0	KEENE		I-6146	6 X 2 X 14-1/2 ALSO I-6146T
CI6022S0	KEENE		I-6226	Old Bowser A-1957 ALSO I-6226TB
CI6028F20	KEENE		I-6286	ALSO I-6286TB
CI6028S0	KEENE		I-62883TB	
CI6033F20	KEENE		I-6336	
CI6044S0	KEENE		I-6446TB	ALSO I-6446
CI6056S0	KEENE		I-6566	ALSO I-6566TB
CIF1X2	FACET		DC-629PLF1	
CM10020FDZ	FACET	4330-01-516-6994	I-620MM	
CM100-28SB	FACET	4330-01-496-1630	I-628A4TB	
CM100-33SB	FACET	4330-01-496-1616	I-633A4TB	
CM100-38SB	FACET	4330-01-482-7909	I-638A4TB	
CM100-43SB	FACET	4330-01-496-1603	I-644A4TB	
CM4205	FACET	4330-01-511-8209	I-420MM	
CM4405	FACET	4330-01-511-8268	I-440MM	
CM-440-5	FACET	4330-01-511-8268	I-440MM	
CP06455	RACOR/BANNER		I-4068R	INTERCHANGES WITH FRAM CC-P11
CP08655TB	RACOR/BANNER		I-6087	
CP11654	RACOR/BANNER		I-61183	
CP11655	RACOR/BANNER		I-6116	
CP11655TB	RACOR/BANNER		I-6116	
CP11658	RACOR/BANNER		I-61183	INTERCHANGES WITH FRAM CC-E-1
CP11675	RACOR/BANNER		I-6116	INTERCHANGES WITH FRAM CC-E-1
CP12485	RACOR/BANNER		I-4126	
CP14654	RACOR/BANNER		I-61483	
CP14654TB	RACOR/BANNER		I-61483TB	
CP14655	RACOR/BANNER		I-6146	
CP14655TB	RACOR/BANNER		I-6146TB	
CP14658	RACOR/BANNER		I-6142	INTERCHANGES WITH FRAM CC-A-1
CP14678	RACOR/BANNER		I-6142	
CP16455T	RACOR/BANNER		I-4166TB	
CP16455TB	RACOR/BANNER		I-4166TB	
CP16485	RACOR/BANNER		I-4156	
CP16485	RACOR/BANNER		I-4166TB	VFI "T" ELEMENT REQUIRES ADAPTER
CP18455TB	RACOR/BANNER		I-4186TB	
CP18485	RACOR/BANNER		I-4186TB	VFI "T" ELEMENT REQUIRES ADAPTER
CP18485	RACOR/BANNER		I-4186	
CP20452	RACOR/BANNER		I-4208C	DOD
CP20452	RACOR/BANNER		I-4208F	USN
CP22653TB	RACOR/BANNER		I-62284TB	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CP22654	RACOR/BANNER		I-62283	
CP22654TB	RACOR/BANNER		I-62283TB	
CP22655	RACOR/BANNER		I-6226	
CP22655TB	RACOR/BANNER		I-6226TB	
CP22658	RACOR/BANNER		I-6222	SUPERCEDED BY "78" SERIES
CP22678	RACOR/BANNER		I-6222	
CP22678TB	RACOR/BANNER		I-6224TB	
CP22688TB	RACOR/BANNER		I-6222	
CP24454	RACOR/BANNER		I-4246	
CP24454N	RACOR/BANNER		I-4246	
CP24455TB	RACOR/BANNER		I-4218T	
CP27454TB	RACOR/BANNER		I-4258TB	
CP28653TB	RACOR/BANNER		I-62884TB	
CP28654	RACOR/BANNER		I-62883	
CP28654TB	RACOR/BANNER		I-62883TB	
CP28655	RACOR/BANNER		I-6286	
CP28655TB	RACOR/BANNER		I-6286TB	
CP28658TB	RACOR/BANNER		I-6284TB	SUPERCEDED BY "78" SERIES
CP28675	RACOR/BANNER		I-6282TB	INTERCHANGES WITH FRAM CC-A-2
CP31454TB	RACOR/BANNER		I-43183T	
CP31455TB	RACOR/BANNER		I-4316T	
CP31458TB	RACOR/BANNER		I-4312T	
CP31478T	RACOR/BANNER		I-4312T	
CP31478TB	RACOR/BANNER		I-4312T	
CP31632TB	RACOR/BANNER		I-63185TB	ALSO I-63187TB
CP31654TB	RACOR/BANNER		I-63185TB	
CP33632	RACOR/BANNER		I-63385	ALSO I-63387
CP33632TB	RACOR/BANNER		I-63385TB	ALSO I-63387TB
CP33654TB	RACOR/BANNER		I-63383TB	
CP33655	RACOR/BANNER		I-6336	
CP33655TB	RACOR/BANNER		I-6336TB	
CP33658TB	RACOR/BANNER		I-6334TB	SUPERCEDED BY "78" SERIES
CP33675	RACOR/BANNER		I-6332	INTERCHANGES WITH FRAM CC-E-3
CP33675	RACOR/BANNER		I-6334TB	INTERCHANGES WITH FRAM CC-E-3
CP33678	RACOR/BANNER		I-6330	
CP33678S	RACOR/BANNER		I-6332	
CP33678TB	RACOR/BANNER		I-6334TB	
CP33688	RACOR/BANNER		I-6332	
CP38454TB	RACOR/BANNER		I-43883TN	
CP38653TB	RACOR/BANNER		I-63884TB	
CP38654TB	RACOR/BANNER		I-63883TB	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CP38655TB	RACOR/BANNER		I-6386T	
CP38655TB	RACOR/BANNER		I-6386TB	
CP38658TB	RACOR/BANNER		I-6382TB	SUPERCEDED BY "78" SERIES
CP38678TB	RACOR/BANNER		I-6382TB	
CP40454TB	RACOR/BANNER		I-44083T	
CP44632	RACOR/BANNER		I-64485	ALSO I-64487
CP44632TB	RACOR/BANNER		I-64485TB	ALSO I-64487TB
CP44652T	RACOR/BANNER		I-64483TB	
CP44652TB	RACOR/BANNER		I-64483TB	
CP44653TB	RACOR/BANNER		I-64493TB	
CP44654TB	RACOR/BANNER		I-64483TB	
CP44655	RACOR/BANNER		I-6446	
CP44655TB	RACOR/BANNER		I-6446TB	
CP44658TB	RACOR/BANNER		I-6442TB	SUPERCEDED BY "78" SERIES
CP44678	RACOR/BANNER		I-6442	
CP44678TB	RACOR/BANNER		I-6442TB	
CP56632	RACOR/BANNER		I-65685	ALSO I-65687
CP56632TB	RACOR/BANNER		I-65685TB	ALSO I-65687TB
CP56654TB	RACOR/BANNER		I-65683TB	ALSO I-65687TB
CP56655	RACOR/BANNER		I-6566	
CP56655TB	RACOR/BANNER		I-6566TB	
CP56658TB	RACOR/BANNER		I-6562TB	SUPERCEDED BY "78" SERIES
CP56678TB	RACOR/BANNER		I-6562TB	
CR11	FACET		I-6116	
CR14	FACET	4330-00-168-2398	I-6146	
CR22	FACET		I-6226	
CR28	FACET		I-6286	
CR33	FACET		I-6336	
CR43	FACET		I-6446	
CS101T2M	FACET		SO-324V	Teflon Separator SO-323C for fixed equipment - refer to SO-324V for mobile equipment Outside In Flow 23.500 inch OAL 3.000 inch OD 2.0000 inch ID 70 Micron HV-1422.
CS102T2M	FACET		SO-318V	Teflon Separator SO-318C for fixed equipment - refer to SO-318V for mobile equipment Outside In Flow 18.500 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron HV-1416M.
CS103T2M	FACET		SO-330V	SO-330V is the Velcon Equivalent Outside In Flow 30.000 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron Teflon Separator HV-1428.
CS111T2M	FACET		SO-424V	SO-424V is the Velcon Equivalent Outside In Flow 24.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS112T2M	FACET		SO-436V	Teflon Separator SO-436C for fixed equipment - refer to SO-436V for mobile equipment Outside In Flow 36.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron AUSTRALIAN AF.
CS114T2M	FACET		SO-417V	SO-417V is the Velcon Equivalent Outside In Flow 17.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator HV-1614.
CS115T2M	FACET		SO-430V	Teflon Separator SO-430C for fixed equipment - refer to SO-430V for mobile equipment Outside In Flow 30.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron HV-1628 IIB 3RD ED.
CS116T2M	FACET		SO-415V	
CS12	FACET	4330-00-792-6495	SO-401NA	
CS121T2M	FACET		SO-609V	SO-609V is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 4.5000 inch ID 70 Micron Teflon Separator 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS121T2N	FACET		SO-609VA	SO-609VA is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS13	FACET	4330-00-973-3909	SO-401NB	
CS131T2M	FACET		SO-612V	
CS131T2N	FACET		SO-612VA	SO-612VA is the Velcon Equivalent Outside In Flow 12.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS15	FACET		SO-417PLM	
CS152T2N	FACET		SO-618VA	Teflon Separator SO-618VA for fixed or mobile equipment Outside In Flow 18.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS161T2M	FACET		SO-624V	Teflon Separator SO-624V for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 4.5000 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS161T2N	FACET		SO-624VA	Teflon Separator SO-624VA for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS161T2P	FACET		SO-624PV	Teflon Separator SO-624PV for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS164T2M	FACET		SO-630V	
CS164T2N	FACET		SO-630VA	Teflon Separator SO-630VA for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 3.5000 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS164T2P	FACET		SO-630PV	Teflon Separator SO-630PV for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS170T2N	FACET		SO-633VA	Teflon Separator SO-633VA for mobile or fixed equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
CS171T2M	FACET		SO-636V	Teflon Separator SO-636V for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.500 inch ID 70 Micron 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS171T2N	FACET		SO-636VA	Teflon Separator SO-636VA for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 3.500 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS171T2P	FACET		SO-636PV	Teflon Separator SO-636PV for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS181T2P	FACET		SO-640PV	Teflon Separator SO-640PV for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS191T2	FACET		SO-643C	SO-643C is the Velcon Equivalent Outside In Flow 43.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT BOTH ENDS.
CS192T2	FACET		SO-648C	
CS192T2M	FACET		SO-648V	
CS192T2N	FACET		SO-644VA	
CS192T2P	FACET		SO-644PV	Teflon Separator SO-644PV for fixed or mobile equipment Outside In Flow 44.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS193T2M	FACET		SO-656V	
CS318T2M	FACET		SO-318V	Teflon Separator SO-318C for fixed equipment - refer to SO-318V for mobile equipment Outside In Flow 18.500 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron HV-1416M.
CS324T2M	FACET		SO-324V	Teflon Separator SO-323C for fixed equipment - refer to SO-324V for mobile equipment Outside In Flow 23.500 inch OAL 3.000 inch OD 2.0000 inch ID 70 Micron HV-1422.
CS417T2M	FACET		SO-417V	SO-417V is the Velcon Equivalent Outside In Flow 17.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator HV-1614.
CS424T2M	FACET		SO-424V	SO-424V is the Velcon Equivalent Outside In Flow 24.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator
CS430T2M	FACET		SO-430V	Teflon Separator SO-430C for fixed equipment - refer to SO-430V for mobile equipment Outside In Flow 30.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron HV-1628 IIB 3RD ED.
CS436T2M	FACET		SO-436V	Teflon Separator SO-436C for fixed equipment - refer to SO-436V for mobile equipment Outside In Flow 36.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron AUSTRALIAN AF.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS58	FACET	4330-00-884-9299	SO-643C	Teflon Separator SO-643C for fixed or mobile equipment (Three CS-58 are equivalent to one SO-643C) Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS58F	FACET	4330-00-884-9299	SO-614C	Teflon Separator SO-614C for fixed equipment or mobile equipment Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-62T2F.
CS58F2	FACET		SO-614C	SO-614C is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT BOTH ENDS. FACET CS-62T2F.
CS59	FACET		SO-611C	Teflon Separator SO-611C for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 3.5000 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS59F	FACET		SO-611C	Teflon Separator SO-611C for fixed equipment or mobile equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron FACET CS-63T2F.
CS59F2	FACET		SO-611C	Teflon Separator SO-611C for fixed equipment or mobile equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron FACET CS-63T2F.
CS609T2F	FACET		SO-609VA	SO-609VA is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS609T2M	FACET		SO-609V	SO-609V is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 4.5000 inch ID 70 Micron Teflon Separator 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS609T2N	FACET		SO-609VA	SO-609VA is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS61	FACET	4330-00-779-0652	SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Two CS-61 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS611T2F	FACET		SO-611C	Teflon Separator SO-611C for fixed equipment or mobile equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron FACET CS-63T2F.
CS612T2M	FACET		SO-612V	
CS612T2N	FACET		SO-612VA	SO-612VA is the Velcon Equivalent Outside In Flow 12.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS614T2F	FACET	4330-01-235-0854	SO-614C	SO-614C is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT BOTH ENDS. FACET CS-62T2F.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS616T2F	FACET		SO-616C	Teflon Separator SO-616C for fixed equipment or mobile equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-64T2F.
CS618T2N	FACET		SO-618VA	Teflon Separator SO-618VA for fixed or mobile equipment Outside In Flow 18.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS61F	FACET	4330-00-779-0652	SO-616C	Teflon Separator SO-616C for fixed equipment or mobile equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-64T2F.
CS61F2	FACET		SO-616C	Teflon Separator SO-616C for fixed equipment or mobile equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-64T2F.
CS62	FACET	4330-00-884-9299	SO-643C	Teflon Separator SO-643C for fixed or mobile equipment (Three CS-62 are equivalent to one SO-643C) Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS622T1	FACET		SO-629C	Teflon Separator SO-629C for fixed equipment or mobile equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT BOTH ENDS. FACET CS-622T2F.
CS622T2	FACET		SO-629C	Teflon Separator SO-629C for fixed equipment or mobile equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT BOTH ENDS. FACET CS-622T2F.
CS622T2F	FACET		SO-629C	Teflon Separator SO-629C for fixed equipment or mobile equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT BOTH ENDS. FACET CS-622T2F.
CS623F	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-632T2F.
CS623T2F	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-632T2F.
CS624T2M	FACET		SO-624V	Teflon Separator SO-624V for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 4.5000 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS624T2N	FACET		SO-624VA	Teflon Separator SO-624VA for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS624T2P	FACET		SO-624PV	Teflon Separator SO-624PV for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS629F	FACET		SO-629C	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS629T2F	FACET		SO-629C	Teflon Separator SO-629C for fixed equipment or mobile equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT BOTH ENDS. FACET CS-622T2F.
CS62T2	FACET		SO-643C	Teflon Separator SO-643C for fixed or mobile equipment (Three CS-62T2 are equivalent to one SO-643C) Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS62T2F	FACET		SO-643C	Teflon Separator SO-643C for fixed or mobile equipment (Three CS-62T2F are equivalent to one SO-643C) Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS63	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Three CS-63 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS630T2N	FACET		SO-630VA	Teflon Separator SO-630VA for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 3.5000 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS630T2P	FACET		SO-630PV	Teflon Separator SO-630PV for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS632T1	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-632T2F.
CS632T2	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-632T2F.
CS632T2F	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-632T2F.
CS633F	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS633T2	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS633T2F	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS633T2N	FACET		SO-633VA	Teflon Separator SO-633VA for mobile or fixed equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS636T2M	FACET		SO-636V	Teflon Separator SO-636V for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.500 inch ID 70 Micron 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS636T2N	FACET		SO-636VA	Teflon Separator SO-636VA for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 3.500 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS636T2P	FACET		SO-636PV	Teflon Separator SO-636PV for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS63T2	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Three CS-63T2 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS63T2F	FACET		SO-611C	Teflon Separator SO-611C for fixed equipment or mobile equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron FACET CS-63T2F.
CS64	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Two CS-64 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS640T2N	FACET		SO-640C	Teflon Separator SO-640C for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 3.500 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS640T2P	FACET		SO-640PV	Teflon Separator SO-640PV for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS642T2	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Two CS-642T2 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS. FACET CS-642T2F.
CS642T2F	FACET		SO-633C	SO-633C is the Velcon Equivalent Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID BOTH ENDS. FACET CS-642T2F.
CS643T2F	FACET		SO-643C	Teflon Separator SO-643C for fixed or mobile equipment Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS644T2N	FACET		SO-643C	Teflon Separator SO-643C for fixed or mobile equipment Outside In Flow 43.0000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS644T2P	FACET		SO-644PV	Teflon Separator SO-644PV for fixed or mobile equipment Outside In Flow 44.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
CS648T2F	FACET		SO-648C	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS648T2M	FACET		SO-648V	
CS64T2	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment (Two CS-64T2 are equivalent to one SO-633C) Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
CS64T2F	FACET		SO-616C	Teflon Separator SO-616C for fixed equipment or mobile equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-64T2F.
CS65	FACET	4330-00-083-8182	SO-404PL	
CS656T2M	FACET		SO-656V	
CS66	FACET	4330-01-010-5819	SO-407PL	
CS67	FACET		SO-404PL	
CS71	FACET		SO-401NB	
CS73	FACET		SO-530PLN	PORT AUTHORITY TYPE END CAP
CS76	FACET		SO-614PLF3	Paper Separator SO-614PLF3 for vertical equipment - Teflon Separator SO-614C for mobile or vertical equipment Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 5 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-58F.
CS77	FACET		SO-616PLF3	Paper Separator SO-616PLF3 for vertical equipment - Teflon Separator SO-616C for mobile or vertical equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 5 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-61F.
CS84	FACET		SO-417PLM	
CS8482F	FRAM		SO-614PLF3	ALSO SO-614C
CS8482F	FRAM		SO-643C	STACK OF 3
CS8482F	FRAM		SO-629C	STACK OF 2
CS8483F	FRAM		SO-633C	STACK OF 3
CS8483F	FRAM		SO-623C	STACK OF 2
CS8483F	FRAM		SO-611PLF3	ALSO SO-611C
CS8484F	FRAM		SO-616PLF3	ALSO SO-616C
CS8484F	FRAM		SO-633C	STACK OF 2
CS8484F	FRAM		SO-648C	STACK OF 3
CS85	FACET		SO-628W	
CS86	FACET		SO-614C	SO-614C is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT BOTH ENDS. FACET CS-62T2F.
CS89	FACET		SO-613G	
CS91	FACET		SO-616GS	
CS93	FACET		SO-857VS	DALLAS-FT WORTH 57" LONG TCS
CS94	FACET	4330-00-363-6128	SO-412V5	SEE CK-1158 1159 1162
CS9482F	FRAM		SO-614C	
CS9483F	FRAM		SO-611C	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
CS9484F	FRAM		SO-616C	
D4063	COMMERCIAL		LA-71801B	
E1100	CIMCO		CDF-210N	USES 2 X CDF & 4 X G-1097
E120001	CIMCO		ACO-71801L	
E130010	CIMCO		FO-718PL05	
E1300HS05	CIMCO		AC-71805	
E1300HS10	CIMCO		AC-71805	
E1300HS30	CIMCO		AD-71825	
E2100	CIMCO		CDF-220N	USES 2 X CDF & 4 X G-1097
E3100	CIMCO		CDF-230N	USES 2 X CDF & 4 X G-1097
EB60	FACET		CLAY BAG-UK	
F718C	REFILCO		LA-71801B	
F718C4	REFILCO		LA-61801B	
FAC00	HILCO		LB-71801	
FCC18701	RACOR/BANNER		CO-718CE	CANISTERS
FD1460110	RACOR/BANNER		FO-614FG10	AC-61405 ARE DIMENTIONAL INTERCHANGE
FD1460125	RACOR/BANNER		FO-614FG25	AC-61405 ARE DIMENTIONAL INTERCHANGE
FD146015	RACOR/BANNER		FO-614FG10	AC-61405 ARE DIMENTIONAL INTERCHANGE
FD1860110	RACOR/BANNER		FO-618FG10	
FD1860125	RACOR/BANNER		FO-618FG25	
FD186015	RACOR/BANNER		FO-618FG10	
FD2260110	RACOR/BANNER		FO-622FG10	
FD2260125	RACOR/BANNER		FO-622FG25	
FD226015	RACOR/BANNER		FO-622FG10	
FD2960110	RACOR/BANNER		FO-629FG10	
FD2960125	RACOR/BANNER		FO-629FG25	
FD296015	RACOR/BANNER		FO-629FG2	
FD296015	RACOR/BANNER		FO-629FG10	
FD36508	RACOR/BANNER		FO-436G	
FD3660110	RACOR/BANNER		FO-636FG10	
FD366012	RACOR/BANNER		FO-636FG5	
FD3660125	RACOR/BANNER		FO-636FG25	
FD366015	RACOR/BANNER		FO-636FG5	
FD4460110	RACOR/BANNER		FO-644FG5	
FD4460110	RACOR/BANNER		FO-644FG25	
FD446012	RACOR/BANNER		FO-644FG2	
FD4460125	RACOR/BANNER		FO-644FG25	
FD446015	RACOR/BANNER		FO-644FG5	
FD72308	RACOR/BANNER		FO-427G	
FFC00	HILCO		LA-71801B	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
FG0609	FACET		ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7. 36 USGPM.
FG0611	FACET			NO CROSS
FG0612	FACET		ACO-61201L	
FG0614	FACET		ACO-61401L	AQUACON REPLACMT For Facet Superflex Housing use CK-1158 CK-1159 or CK-1162 required for single double or triple stacks ACO-61401K is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron IP QUALIFIED
FG0629	FACET		ACO-62901L	ACO-62901L is the Velcon Equivalent Outside In Flow 28.750 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron IP QUALIFIED. 110 USGPM.
FG0643	FACET		ACO-64401L	ACO-64401K is the Velcon Equivalent Outside In Flow 43.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron IP QUALIFIED. 168 USGPM.
FG205	FACET		CDF-205N	CDF-205N is the Velcon Equivalent 5.813 inch OAL 1.750 inch OD 0.5 Micron 5 USGPM.
FG210	FACET		CDF-210N	CDF-210N is the Velcon Equivalent 10.813 inch OAL 1.750 inch OD 0.5 Micron 10 USGPM.
FG215	FACET		CDF-215N	CDF-215N is the Velcon Equivalent 15.813 inch OAL 1.750 inch OD 0.5 Micron 15 USGPM.
FG220	FACET		CDF-220N	CDF-220N is the Velcon Equivalent 20.813 inch OAL 1.750 inch OD 0.5 Micron 20 USGPM.
FG225	FACET		CDF-225N	CDF-225N is the Velcon Equivalent 25.813 inch OAL 1.750 inch OD 0.5 Micron 25 USGPM.
FG230	FACET		CDF-230N	CDF-230N is the Velcon Equivalent 30.813 inch OAL 1.750 inch OD 0.5 Micron 30 USGPM.
FG336	PECO		FO-436G	
FG372	PECO		FO-472G	
FG6095PL	FACET		ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7. 36 USGPM.
FGI33SB	FACET		ACI-63301LTB	ACI-63301KTB is the Velcon Equivalent Inside Out Flow 33.000 inch OAL 6.000 inch OD 0.5 Micron 121 USGPM.
FGI611	FACET			NO CROSS
FGI614	FACET		ACI-61401L	ACI-61401K is the Velcon Equivalent Inside Out Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron 53 USGPM.
FGI622	FACET		ACI-62201L	ACI-62201K is the Velcon Equivalent Inside Out Flow 22.250 inch OAL 6.000 inch OD 3.5600 inch ID 0.5 Micron 84 USGPM.
FGI629	FACET		ACI-62901L	
FGI633	FACET		ACI-63301L	
FGI633F	FACET		ACI-63301FL	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
FGI633SB	FACET	4330-01-439-2314	ACI-63301LTB	ACI-63301KTB is the Velcon Equivalent Inside Out Flow 33.000 inch OAL 6.000 inch OD 0.5 Micron 121 USGPM.
FGI638	FACET		ACI-63801L	
FGI643	FACET		ACI-64401L	ACI-64401K is the Velcon Equivalent Inside Out Flow 43.250 inch OAL 6.000 inch OD 0.5 Micron 168 USGPM.
FGI657	FACET		ACI-65601L	
FL6445	ROYAL		FO-644PLF5M	
FLWA7181/2	ROYAL		AC-7181/2	
FM05202	RACOR/BANNER		CDF-205N	
FM10202	RACOR/BANNER		CDF-210N	
FM15202	RACOR/BANNER		CDF-215N	
FM20202	RACOR/BANNER		CDF-220N	
FM25202	RACOR/BANNER		CDF-225N	
FM30202	RACOR/BANNER		CDF-230N	
FMK05202	RACOR/BANNER		CDF-205N	
FMK10202	RACOR/BANNER		CDF-210N	
FMK15202	RACOR/BANNER		CDF-215N	
FMK20202	RACOR/BANNER		CDF-220N	
FMK25202	RACOR/BANNER		CDF-225N	
FMK30202	RACOR/BANNER		CDF-230N	
FP1205	RACOR/BANNER		FO-412PL5	AC-41205 WILL FIT
FP12402	RACOR/BANNER		FO-412PL2	
FP14601	RACOR/BANNER		FO-614PLF1	AC-61405 WILL FIT
FP146011/2	RACOR/BANNER		FO-614PLF1/2	
FP14602	RACOR/BANNER		FO-614PLF2	AC-61405 WILL FIT
FP14602	RACOR/BANNER		FO-614PLF2	
FP14602	RACOR/BANNER		FO-614PLF1	
FP14604	RACOR/BANNER		FO-614PLF5	
FP14604	RACOR/BANNER		FO-614PLF5	AC-61405 WILL FIT
FP14604	RACOR/BANNER		FO-614PLF5M	
FP14605	RACOR/BANNER		FO-614PLF10	FP-14605 IS 15 M
FP14607	RACOR/BANNER		FO-614PLF25	
FP14607	RACOR/BANNER		FO-614PLF25	REPLACES FRAM C-702 C-709
FP14607	RACOR/BANNER		FO-614FG25	REPLACES FRAM C-702 C-709
FP18405	RACOR/BANNER		FO-418PL5	BANNER ELEMENT IS 3 M
FP18405	RACOR/BANNER		AC-41805	BANNER ELEMENT IS 3 M
FP18601	RACOR/BANNER		FO-718PL01	
FP18604	RACOR/BANNER		AC-71805	DIMEN INTERCHG
FP18604	RACOR/BANNER		FO-718PL05	REPLACES KEENE BP-718-1-W
FP18605	RACOR/BANNER		AC-71805	DIMEN INTERCHG
FP18605	RACOR/BANNER		FO-718PL15	REPLACES FRAM C-722 KEENE BP-718

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
FP18607	RACOR/BANNER		AC-71805	DIMEN INTERCHG
FP18607	RACOR/BANNER		FO-718PL50	
FP24405	RACOR/BANNER		FO-424PL10	
FP24405	RACOR/BANNER		FO-424PL5	
FP28604	RACOR/BANNER		FO-629PLF5	
FP28605	RACOR/BANNER		FO-629PLF10	REPLACES PECO PP-360-5
FP28605	RACOR/BANNER		FO-633PLF10	
FP296011/2	RACOR/BANNER		FO-629PLF1	
FP296011/2	RACOR/BANNER		FO-629PLF1/2	
FP29602	RACOR/BANNER		FO-629PLF2	
FP29605	RACOR/BANNER		FO-619PLF10	
FP29607	RACOR/BANNER		FO-629PLF25	
FP30605	RACOR/BANNER		FO-629PLF10	REPLACES PECO PP-360-5
FP42504	RACOR/BANNER		FO-644PLF5M	
FP42601	RACOR/BANNER		FO-644PLF1M	
FP42601	RACOR/BANNER		FO-644PLF2M	
FP42602	RACOR/BANNER		FO-644PLF2M	
FP42604	RACOR/BANNER		FO-644FG5	REPLACES 3 FRAM CH57PLO
FP42604	RACOR/BANNER		FO-644PLF5M	REPLACES 3 FRAM CH57PLO
FP42605	RACOR/BANNER		FO-644PLF10M	
FP42605	RACOR/BANNER		FO-644PLF10M	
FP42607	RACOR/BANNER		FO-644PLF25M	
FP42607	RACOR/BANNER		FO-644PLF25	
FP44601	RACOR/BANNER		FO-644PLF1	
FP446011/2	RACOR/BANNER		FO-644PLF1/2	
FP6018F21	KEENE		AC-61801H	Obsolete
FW1251W9	RACOR/BANNER		ACO-51201L	
FW61813	HILCO		FO-618FGA10	
FW618MS	HILCO		FO-618FGA10	
FW630	HILCO		FO-629FGA10	
FW63617	HILCO		FO-636FGA10	
FW73614	HILCO		FO-632FGA10	
GNG205	FACET		CDF-205N	CDF-205N is the Velcon Equivalent 5.813 inch OAL 1.750 inch OD 0.5 Micron 5 USGPM.
GNG210	FACET	4330-01-094-8761	CDF-210N	CDF-210N is the Velcon Equivalent 10.813 inch OAL 1.750 inch OD 0.5 Micron 10 USGPM.
GNG215	FACET	4330-00-012-2809	CDF-215N	CDF-215N is the Velcon Equivalent 15.813 inch OAL 1.750 inch OD 0.5 Micron 15 USGPM.
GNG220	FACET	4330-00-872-1779	CDF-220N	CDF-220N is the Velcon Equivalent 20.813 inch OAL 1.750 inch OD 0.5 Micron 20 USGPM.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
GNG225	FACET		CDF-225N	CDF-225N is the Velcon Equivalent 25.813 inch OAL 1.750 inch OD 0.5 Micron 25 USGPM.
GNG230	FACET	4330-00-461-4047	CDF-230N	CDF-230N is the Velcon Equivalent 30.813 inch OAL 1.750 inch OD 0.5 Micron 30 USGPM.
GNG440	FACET	4330-01-439-2319	ACI-44001D	
GNG60925PL	FACET		AD-60925	
GNG6095PL	FACET		ACO-60901L	AQUACON REPLACMT FOR VFCS-21 F/S ACO-60901K is the Velcon Equivalent Outside In Flow 9.688 inch OAL 6.000 inch OD 1.5000 inch ID 0.5 Micron REPLACES FACET CC-21-7.36 USGPM.
GNG6125PL	FACET		ACO-61201L	WE DON'T HAVE 5 MICRON ELEMENT
K.1-842	FAUDI		I-63387F	
K.3-842	FAUDI		I-63387F2	
K.3-965	FAUDI		I-63887F2	
K.4-1093	FAUDI		I-64485	ALSO I-64487
K.4-1422	FAUDI		I-65685	ALSO I-65687
K.4-279	FAUDI		I-61185	ALSO I-61187
K.4-362	FAUDI		I-61485	ALSO I-61487
K.4-559	FAUDI		I-62285	ALSO I-62287
K.4-565	FAUDI		I-62285	ALSO I-62287
K.4-727	FAUDI		I-62885	ALSO I-62887
K.4-842	FAUDI		I-63385	ALSO I-63387
K.7-1093	FAUDI		I-64485TB	ALSO I-64485TB
K.7-1422	FAUDI		I-65685TB	ALSO I-65687TB
K.7-362	FAUDI		I-61485TB	ALSO I-61487TB
K.7-559	FAUDI		I-61485TB	ALSO I-61487TB
K.7-727	FAUDI		I-62285TB	ALSO I-62287TB
K.7-842	FAUDI		I-63385TB	ALSO I-63387TB
K.7-965	FAUDI		I-63885TB	ALSO I-63887TB
K1000	KEENE		FOS-636PLP8	
K2000	KEENE		CA-64485	2-5/8" ID AT ONE END 3-1/2" ID AT OTHER
K3000	KEENE		SO-629C	
K4000	KEENE		FOS-636PLP3	
L24N24	KEENE		I-4218T	ALSO I-43183T
L32N21	KEENE		I-4316T	ALSO I-43183T
L32N21	KEENE		I-4316T	ALSO I-43183T
L32N22	KEENE		I-4316T	ALSO I-43183T
L32N22	KEENE		I-4316T	ALSO I-43183T
L32N24	KEENE		I-4316T	ALSO I-43183T
L40N22	KEENE		I-4408T	ALSO I-44083T
L40N24	KEENE		I-4408T	ALSO I-44083T
LCS4H1AH	PALL		I-440CHEV	ALSO LCS4HAH

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
LE618	KEENE		CO-618CE	
LE718	KEENE		CO-718CE	
M.2-134	FAUDI		CDF-205N	
M.2-134/4	FAUDI		CDF-205N	
M.2-134/E	FAUDI		CDF-205N	ELECTRICAL CONDUCTIVE
M.2-261	FAUDI		CDF-210N	
M.2-261/4	FAUDI		CDF-210N	
M.2-261/E	FAUDI		CDF-210N	ELECTRICAL CONDUCTIVE
M.2-387	FAUDI		CDF-215N	
M.2-387/4	FAUDI		CDF-215N	
M.2-387/E	FAUDI		CDF-215N	ELECTRICAL CONDUCTIVE
M.2-515	FAUDI		CDF-220N	
M.2-515/4	FAUDI		CDF-220N	
M.2-515/E	FAUDI		CDF-220N	ELECTRICAL CONDUCTIVE
M.2-642	FAUDI		CDF-225N	
M.2-642/4	FAUDI		CDF-225N	
M.2-642/E	FAUDI		CDF-225N	ELECTRICAL CONDUCTIVE
M.2-770	FAUDI		CDF-230N	
M.2-770/4	FAUDI		CDF-230N	
M.2-770/E	FAUDI		CDF-230N	ELECTRICAL CONDUCTIVE
MC320001	MURPHY BROS		I-4208C	(NSN: 4330-00-983-0998)
MG10P	FACET		FO-629PLF10	
MI6.4-1093	FAUDI		ACI-64401L	
MI6.4-1422	FAUDI		ACI-65601L	
MI6.4-279	FAUDI		ACI-61101L	
MI6.4-362	FAUDI		ACI-61401L	
MI6.4-362	FAUDI		ACI-61401LTB	
MI6.4-558	FAUDI		ACI-62201L	
MI6.4-559	FAUDI		ACI-62201LTB	
MI6.4-727	FAUDI		ACI-62901L	
MI6.4-727	FAUDI		ACI-62901LTB	
MI6.4-842	FAUDI		ACI-63301L	
MI6.4-842	FAUDI		ACI-63301LTB	
MI6.4-965	FAUDI		ACI-63801L	
MI6.7-1093	FAUDI		ACI-64401LTB	
MI6.7-1422	FAUDI		ACI-65601LTB	
MI6.7-965	FAUDI		ACI-63801LTB	
MM30	FACET		FO-614PLF25M	
MM50	FACET		FO-614PLF50	
MO6.4-1093	FAUDI		ACO-64401L	
MO6.4-1422	FAUDI		ACO-65601L	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
MO6.4-362	FAUDI		ACO-61401L	
MO6.4-558	FAUDI		ACO-62201L	
MO6.4-727	FAUDI		ACO-62901L	
MO6.4-842	FAUDI		ACO-63301L	
MO6.4-965	FAUDI		ACO-63801L	
MO6.7-1093	FAUDI		ACO64401LTB	
MO6.7-1422	FAUDI		ACO-65601LTB	
MO6.7-362	FAUDI		ACO-61401LTB	
MO6.7-559	FAUDI		ACO-62201LTB	
MO6.7-727	FAUDI		ACO-62801LTB	
MO6.7-842	FAUDI		ACO-63301LTB	
MO6.7-965	FAUDI		ACO-63801LTB	
MP0.5	FACET		FO-614PLF1/2	FO-614PLF1/2 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET C-701-1.
MP0.5X2	FACET		FO-629PLF1/2	
MP0.5X3	FACET		FO-644PLF1/2	FO-644PLF1/2 is the Velcon Equivalent Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET CF-644-0.5PLO
MP05	FACET		FO-614PLF1/2	FO-614PLF1/2 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET C-701-1.
MP05X2	FACET		FO-629PLF1/2	
MP05X3	FACET		FO-644PLF1/2	FO-644PLF1/2 is the Velcon Equivalent Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET CF-644-0.5PLO
MP1	FACET		FO-614PLF1	FO-614PLF1 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 1 Micron
MP10	FACET		FO-614PLF10	
MP10X2	FACET		FO-629PLF10	
MP10X3	FACET		FO-644PLF10M	
MP15	FACET		FO-614PLF15	
MP15LX3	FACET		FO-644PLF10M	L INDICATES BEAMING JACKET
MP15X2	FACET		FO-629PLF10	
MP15X3	FACET		FO-644PLF10M	
MP1L	FACET		FO-614PLF1M	FO-614PLF1M is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 1 Micron
MP1X2	FACET		FO-629PLF1	FO-629PLF1 is the Velcon Equivalent Outside In Flow 29.000 inch OAL 6.000 inch OD 3.5625 inch ID 1 Micron FACET CF-629-1PL. UNIT CARTONS.
MP1X3	FACET		FO-644PLF1	
MP2	FACET		FO-614PLF2	
MP25L	FACET		FO-614PLF25	
MP25LX2	FACET		FO-629PLF25	
MP25LX3	FACET		FO-644PLF25	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
MP2L	FACET		FO-614PLF2M	
MP2LX3	FACET		FO-644PLF2M	
MP2X2	FACET		FO-629PLF2	FO-629PLF2 is the Velcon Equivalent Outside In Flow 29.000 inch OAL 6.000 inch OD 3.5625 inch ID 2 Micron
MP2X3	FACET		FO-644PLF2M	FO-644PLF2M is the Velcon Equivalent Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5625 inch ID 2 Micron FACET CF-644-2PLO.
MP5	FACET	4330-00-069-1633	FO-614PLF5	
MP5LX3	FACET		FO-644PLF5M	FO-644PLF5M is the Velcon Equivalent Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5625 inch ID 5 Micron FACET CF-644-5-PLO.
MP5X2	FACET	4330-01-034-1312	FO-629PLF5	FO-629PLF5 is the Velcon Equivalent Outside In Flow 29.000 inch OAL 6.000 inch OD 3.5625 inch ID 5 Micron FACET CF-629-5PL.
MP5X3	FACET		FO-644PLF5M	FO-644PLF5M is the Velcon Equivalent Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5625 inch ID 5 Micron FACET CF-644-5-PLO.
MPM0.5	FACET		FO-614PLF1/2	FO-614PLF1/2 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET C-701-1.
MPM05	FACET		FO-614PLF1/2	FO-614PLF1/2 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 0.5 Micron FACET C-701-1.
MPM1	FACET		FO-614PLF1	FO-614PLF1 is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5625 inch ID 1 Micron
MPM2	FACET		FO-614PLF2	
NAME	FACET		ManufacturerPartN	Desc
OIM37	KEENE		I-4316T	ALSO I-43183T
P.1-842	FAUDI		I-633C5F	
P.3-842	FAUDI		I-633C5F2	
P.3-965	FAUDI		I-638C5F2	
P.4-1093	FAUDI		I-644C5	
P.4-1422	FAUDI		I-656C5	
P.4-279	FAUDI		I-611C5	
P.4-362	FAUDI		I-614C5	
P.4-559	FAUDI		I-622C5	
P.4-727	FAUDI		I-628C5	
P.4-842	FAUDI		I-633C5	
P.4-965	FAUDI		I-638C5	
P.7-1093	FAUDI		I-644C5TB	
P.7-1422	FAUDI		I-656C5TB	
P.7-362	FAUDI		I-614C5TB	
P.7-559	FAUDI		I-622C5TB	
P.7-727	FAUDI		I-628C5TB	
P.7-842	FAUDI		I-633C5TB	
P.7-965	FAUDI		I-638C5TB	
PA1614	PUROLATOR		FO-412PL5	ALSO ACO-41201K

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
PA1615	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 5M ALSO ACO-41801K
PA1742	PUROLATOR		FO-412PL5	FILTER 4 X 12 - 10M ALSO ACO-41201K
PA2636	PUROLATOR		I-4176T	REQUIRES 4000T
PA6164	PUROLATOR		FO-418PL5	ALSO ACO-41801K
PA7057	PUROLATOR		FO-412PL5	ALSO ACO-41201K
PA7174	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 5M ALSO ACO-41801K
PA7736	PUROLATOR		FO-424PL5	
PA9191	PUROLATOR		FO-424PL25	FILTER 4 X 24 - 25M
PA9302	PUROLATOR		FO-412PL5	ALSO ACO-41201K
PA9303	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 5M ALSO ACO-41801K
PA9882	PUROLATOR		FO-412PL5	ALSO ACO-41201K FO-412PL2
PA9883	PUROLATOR		FO-418PL5	FILTER 4 X 18 - 2M ALSO ACO-41801K
PC718	PECO		LA-71801B	
PD7180304ZXOH	HILCO		AC-71805	
PD71803050XOH	HILCO		AC-7361/2	REMOVE STANDPIPE REPLACES 2 X
PD7181204ZXOF	HILCO		AC-7181/2	
PD71812050XOF	HILCO		AC-7361/2	REMOVE STANDPIPE REPLACES 2 X
PF869	BALDWIN		FO-412PL5	
PL4125	REFILCO		FO-412PL5	
PL4185	REFILCO		FO-418PL5	
PL4241	REFILCO		FO-424PL1	
PL42410	REFILCO		FO-424PL10	
PL4245	REFILCO		FO-424PL5	
PL60825	REFILCO		FO-608PL25	
PL608253	REFILCO		FO-608PL25	
PL6141/2	REFILCO		FO-614PLF1/2	
PL61410	REFILCO		FO-614PLF10	
PL614122	REFILCO		FO-614PLF1	
PL61415	REFILCO		FO-614PLF15	
PL6142	REFILCO		FO-614PLF2	
PL614211	REFILCO		FO-614PLF2	
PL614212	REFILCO		FO-614PLF2	
PL61425	REFILCO		FO-614PLF2	
PL6145	REFILCO		FO-614PLF5M	
PL61455	REFILCO		FO-614PLF5	
PL6291	REFILCO		FO-629PLF1	
PL6291/212	REFILCO		FO-629PLF1/2	
PL62910	REFILCO		FO-629PLF10	
PL6333	REFILCO		FO-633PLWR	
PL6441	REFILCO		FO-644PLF1	
PL6441/25	REFILCO		FO-644PLF1/2	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
PL64410	REFILCO		FO-644PLF10M	
PL64425	REFILCO		FO-644PLF2M	
PL64425	REFILCO		FO-644PLF5M	
PL7181	REFILCO		FO-718PL01	
PL7181/233A	REFILCO		FO-718PL1/2	
PL7181/234A	REFILCO		FO-718PL1/2	
PL718118	HILCO		FO-718PL1/2	HAS COMPOSITE GKT & NO OUTER JKT
PL718118N	HILCO		FO-718PL1/2	LIKE 118 EXCEPT NICKEL PLATED TUBE
PL718124	HILCO		AC-71801	BLOTTER PAPER 3-PLY
PL71815A	REFILCO		FO-718PL01	
PL7181FP	REFILCO		FO-718PL01	
PL718307	HILCO		FO-718PL02	HAS COMPOSITE GKTS & NO OUTER JKT
PL718355	HILCO		FO-718PL05	HAS COMPOSITE GKTS & PERF PPR JKT
PL718406	HILCO		FO-718PL05B	WATER RESISTANT MEDIA 5M
PL718406N	HILCO		FO-718PL05B	LIKE 405 EXCEPT NICKEL LPLATED TUBE
PL718511	REFILCO		FO-718PL05	
PL718516	REFILCO		FO-718PL05	
PL718516A	REFILCO		FO-718PL05B	
PL718516B	REFILCO		FO-718PL05	
PL71855A	REFILCO		FO-718PL05	
PL71856	REFILCO		FO-718PL05	
PL71856A	REFILCO		FO-718PL05B	
PL7185FP	REFILCO		FO-718PL05	
PL7186	HILCO		FO-718PL05	W/COMPOSITE GKT & PERF PAPER JKT
PL7186A	HILCO		FO-718PL05	LIKE -6 EXCEPT NEOPRENE GKT
PL7186AN	HILCO		FO-718PL05	LIKE -6 EXPT NEOPR GKT NICKEL PL TUBE
PL7186M	HILCO		FO-718PL05	LIKE -6 EXPT METAL OUTER JACKET
PL7186N	HILCO		FO-718PL05	LIKE -6 EXCEPT NICKEL PLATED TUBE
PLD7181/2B	REFILCO		AC-7181/2	
PLD7181/FPB	REFILCO		AC-7181/2P	
PLD7183B	REFILCO		AC-718P3	
PLWA3105B	REFILCO		AC-21005	
PLWA4095B	REFILCO		AC-409SP	
PLWA7185	REFILCO		AC-71805	
PME139-F-O	PECO			NO CROSS
PR1723	PUROLATOR		ACO-31001L	FILTER 3 X 9.75 - 5M
PS2052	FACET		CDF-205K	
PS2102	FACET		CDF-210K	
PS2152	FACET		CDF-215K	
PS2202	FACET		CDF-220K	
PS2252	FACET		CDF-225K	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
PS2302	FACET		CDF-230K	
PT119	BALDWIN		FO-614PLF25	
PT1195	BALDWIN		FO-614PLF5	
PT1195DL	BALDWIN		FO-628PLF5	
PT119HD	BALDWIN		FO-614PLF25M	
PT119HD5	BALDWIN		FO-614PLF5M	
PT41510A	BALDWIN		FO-718PL05	FILTER 10M
PT41525A	BALDWIN		FO-718PL15	FILTER 25M
PT4155A	BALDWIN		FO-718PL05	FILTER 5M
RCWA6091C	ROYAL		ACO-60901L	
RL4122	ROYAL		FO-412PL2	
RL4125	ROYAL		FO-412PL5	
RL4185	ROYAL		FO-418PL5	
RL42425	ROYAL		FO-424PL25	
RL4245	ROYAL		FO-424PL5	
RL61415	ROYAL		FO-61415M	
RL6141A	ROYAL		FO-614PLF1	
RL61425	ROYAL		FO-614PLF25M	
RL61425A	ROYAL		FO-614PLF25	
RL6142A	ROYAL		FO-614PLF2	
RL6145	ROYAL		FO-614PLF5M	
RL6145A	ROYAL		FO-614PLF5	
RL62910	ROYAL		FO-633PLF10	
RL6295	ROYAL		FO-629PLF5	
RL64410	ROYAL		FO-644PLF10M	
RL6442	ROYAL		FO-644PLF2M	
RL64425	ROYAL		FO-644PLF25M	
RL64425	ROYAL		FO-644PLF25	
RL7182	ROYAL		FO-718PL01	
RL7183	ROYAL		FO-718PLP3	
RLWA31025	ROYAL		AD-21025	
RLWA3105	ROYAL		AC-21005	
RLWA51225	ROYAL		AD-51225	
RLWA5125	ROYAL		AC-51205	
RLWA60925	ROYAL		AD-60925	
RLWA6141C	ROYAL		ACO-61401L	
RLWA61425	ROYAL		AD-61425	
RLWA6145	ROYAL		AC-61405	
RLWA6145C	ROYAL		ACO-61401L	
RLWA6291C	ROYAL		ACO-62901L	
RLWA6441C	ROYAL		ACO-64401L	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
RLWA7181	ROYAL		AC-71801	
RLWA7181B	ROYAL		ACO-71801L	
RLWA71825	ROYAL		AD-71825	
RLWA7185	ROYAL		AC-71805	
RLWA7185B	ROYAL		ACO-71801L	
SB0611D11	FRAM		SO-633C	STACK OF 3
SB0611D11	FRAM		SO-623C	STACK OF 2
SB0611D11	FRAM		SO-611PLF3	ALSO SO-611C
SB0614D11	FRAM		SO-643C	STACK OF 3
SB0614D11	FRAM		SO-629C	STACK OF 2
SB0614D11	FRAM		SO-614PLF3	ALSO SO-614C
SB0616D11	FRAM		SO-616PLF3	ALSO SO-616C
SB0616D11	FRAM		SO-633C	STACK OF 2
SB0616D11	FRAM		SO-648C	STACK OF 3
SC11	FACET		SO-417PLM	
SC11605	RACOR/BANNER		SO-611P1	
SC14605	RACOR/BANNER		SO-614P1	
SC16605	RACOR/BANNER		SO-616P1	
SE0611M12	FRAM		SO-611C	
SE0614K02	FRAM		SO-614C	
SE0614M12	FRAM		SO-614C	
SE0616M12	FRAM		SO-616C	
SE0622K04	FRAM		SO-623C	
SEO614K02	FACET		SO-614C	
SEO622K04	FACET		SO-623C	
SFDW618	HILCO		FO-618FGA10	
SFDW630	HILCO		FO-629FGA10	
SFDW636	HILCO		FO-636FGA10	
SFDW736	HILCO		FO-632FGA10	
SFW618	HILCO		FO-618FGA10	
SFW630	HILCO		FO-629FGA10	
SFW636	HILCO		FO-636FGA10	
SFW736	HILCO		FO-632FGA10	
SI7030	KEENE		3552	USE FOR I-440-T ALSO 3557
SI70300	KEENE		3551	USE FOR I-431-T ALSO 3553
SM10036FF	FACET		SO-636CM	SEPARATOR
SM100-36FF	FACET	4330-01-482-7907	SO-636CM	
SO6011F20	KEENE		SO-611PLF3	ALSO SO-611C
SO6014F20	KEENE		SO-614PLF3	ALSO SO-614C
SO6016F20	KEENE		SO-616PLF3	ALSO SO-616C
SO6022F20	KEENE		SO-623C	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
SO6029F20	KEENE		SO-629C	
SO6032F20	KEENE		SO-633C	
SO6043F20	KEENE		SO-643C	
SP04405	RACOR/BANNER		SO-404PL	INTERCHANGES WITH FRAM CS-65 67
SP11601	RACOR/BANNER		SO-611PLF3	
SP11605	RACOR/BANNER		SO-611PLF3	
SP11F	FRAM		SO-633C	STACK OF 3
SP11F	FRAM		SO-623C	STACK OF 2
SP11F	FRAM		SO-611PLF3	ALSO SO-611C
SP14601	RACOR/BANNER		SO-614PLF3	
SP14605	RACOR/BANNER		SO-614PLF3	
SP14F	FRAM		SO-643C	STACK OF 3
SP14F	FRAM		SO-629C	STACK OF 2
SP14F	FRAM		SO-614PLF3	ALSO SO-614C
SP16601	RACOR/BANNER		SO-616PLF3	
SP16605	RACOR/BANNER		SO-616PLF3	
SP16F	FRAM		SO-616PLF3	ALSO SO-616C
SP16F	FRAM		SO-648C	STACK OF 3
SP16F	FRAM		SO-633C	STACK OF 2
SP24405	RACOR/BANNER		SO-424PL	
SP611FD	FACET	4330-01-360-6365	SO-611PLF3	
SP614FD	FACET	4330-00-884-9299	SO-614PLF3	
SP614ND	FACET			NO CROSS
SP616FD	FACET		SO-616PLF3	
SP622FD	FACET		USE 2 SO-611PLF3	
SP629FD	FACET		SO-629PLF3	
SP633FD	FACET		SO-633PLF3	
SS09601S	RACOR/BANNER		SO-609SNA	ALSO SO-609VA
SS14	FRAM		SO-614CSN	ALSO SO-614PLF3 SO-614C
SS22F	FRAM		SO-623CSN	ALSO SO-623C
SS318FA	FACET		SO-318C	Teflon Separator SO-318C for fixed equipment - refer to SO-318V for mobile equipment Outside In Flow 18.500 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron HV-1416M.
SS324FA	FACET		SO-323C	Teflon Separator SO-323C for fixed equipment - refer to SO-324V for mobile equipment Outside In Flow 23.500 inch OAL 3.000 inch OD 2.0000 inch ID 70 Micron HV-1422.
SS330FA	FACET		SO-330V	SO-330V is the Velcon Equivalent Outside In Flow 30.000 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron Teflon Separator HV-1428.
SS36401	RACOR/BANNER		SO-436V	TEFLON VERSION OF THEIR SYNTHETIC SEPARATOR.
SS36601	RACOR/BANNER		3553	
SS36601	RACOR/BANNER		3551	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
SS412FC	FACET		SO-412V5	FACET SUPER-FLEX 1-HI
SS415FB	FACET		SO-415V5	
SS417FB	FACET		SO-417V	SO-417V is the Velcon Equivalent Outside In Flow 17.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator HV-1614.
SS422FC	FACET		SO-422V5	FACET SUPER-FLEX 2-HI
SS424FB	FACET		SO-424C	Teflon Separator SO-424C for fixed equipment - refer to SO-424V for mobile equipment Outside In Flow 24.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron
SS430FB	FACET		SO-430C	Teflon Separator SO-430C for fixed equipment - refer to SO-430V for mobile equipment Outside In Flow 30.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron HV-1628 IIB 3RD ED.
SS432FC	FACET		SO-432V5	FACET SUPER-FLEX 3-HI
SS436FB	FACET		SO-436C	Teflon Separator SO-436C for fixed equipment - refer to SO-436V for mobile equipment Outside In Flow 36.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron AUSTRALIAN AF.
SS44601	RACOR/BANNER		SO-644CSN	SO-644VA
SS609FB	FACET		SO-609SNA	Synthetic Separator SO-609SNA - Teflon Separator SO-609VA both for mobile equipment Outside In Flow 9.000 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE. inch EARLY in
SS609FF	FACET		SO-609SN	Synthetic Separator SO-609SN - Teflon Separator SO-609V both for mobile equipment Outside In Flow 9.000 inch OAL 6.000 inch OD 4.5000 inch ID 40 Micron inch EARLY inch SYNTHETIC SEPARATOR. LIKE SO-609V. 4+1/2 inch ID AT MOUNTING END. BL
SS611FD	FACET	4330-01-462-2583	SO-611CSN	Synthetic Separator SO-611CSN - Teflon Separator SO-611C both for mobile or fixed equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS611H	FACET		SO-613GS	
SS612FB	FACET		SO-612VA	SO-612VA is the Velcon Equivalent Outside In Flow 12.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
SS612FF	FACET		SO-612CMSN	ALSO SO-612V
SS614FD	FACET		SO-614CSN	ALSO SO-614C
SS614H	FACET		SO-613GS	
SS616FD	FACET		SO-616CSN	ALSO SO-616C
SS616H	FACET		SO-616GS	
SS618FB	FACET		SO-618VA	Teflon Separator SO-618VA for fixed or mobile equipment Outside In Flow 18.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
SS622FD	FACET		SO-623CSN	ALSO SO-623C
SS622H	FACET		SO-623GS	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
SS624FB	FACET		SO-624VA	Teflon Separator SO-624VA for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
SS624FE	FACET		SO-624CPSN	ALSO SO-624PV
SS624FF	FACET		SO-624CMSN	ALSO SO-624V
SS629FD	FACET		SO-629CSN	Synthetic Separator SO-629CSN - Teflon Separator SO-629C both for mobile or fixed equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS629H	FACET		SO-629GSF	
SS630FB	FACET		SO-630CSN	C AND CSN W/ BLIND CAP ALSO SO-630VA SO-630C
SS630FD	FACET	4330-01-491-4713	SO-630CSN	ALSO SO-630VA SO-630C
SS630FE	FACET		SO-630CPSN	ALSO SO-630PV
SS633FB	FACET		SO-633CSN	Synthetic Separator SO-633CSN - Teflon Separator SO-633VA for mobile or fixed equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS633FD	FACET		SO-633CSN	Synthetic Separator SO-633CSN - Teflon Separator SO-633VA for mobile or fixed equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS633FE	FACET		SO-633PV	
SS633H	FACET		SO-633GS	
SS636FD	FACET		SO-636CSN	Synthetic Separator SO-636CSN - Teflon Separator SO-636CA both for mobile or fixed equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 3.5000 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS636FE	FACET		SO-636CPSN	ALSO SO-636PV
SS636FF	FACET	4330-01-491-4712	SO-636CMSN	ALSO SO-636V
SS640FD	FACET		SO-640CSN	ALSO SO-640C
SS640FE	FACET		SO-640CPSN	ALSO SO-640PV
SS640FF	FACET		SO-640CMSN	ALSO SO-640V SO-640CM
SS644FD	FACET		SO-644CSN	Synthetic Separator SO-644CSN - Teflon Separator SO-644VA SO-643C all for mobile or fixed equipment Outside In Flow 44.000 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
SS644FE	FACET		SO-644CPSN	ALSO SO-644PV
SS644FF	FACET		SO-644CMSN	ALSO SO-644V
SS648FD	FACET		SO-648CSN	ALSO SO-648C
SS648FF	FACET		SO-648CMSN	ALSO SO-648V SO-648CM
SS656FD	FACET			NO CROSS
SS656FF	FACET		SO-656CMSN	SO-656V
ST09601S	RACOR/BANNER		SO-609VA	
ST11601S	RACOR/BANNER		SO-611C	VFI ELEMENT NEEDS END SEAL PLATE
ST11F	FRAM		SO-611C	
ST14601S	RACOR/BANNER		SO-614C	VFI ELEMENT NEEDS END SEAL PLATE

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
ST14F	FRAM		SO-614C	
ST16601S	RACOR/BANNER		SO-616C	VFI ELEMENT NEEDS END SEAL PLATE
ST16F	FRAM		SO-616C	
ST22601S	RACOR/BANNER		SO-623C	VFI ELEMENT NEEDS END SEAL PLATE
ST29601S	RACOR/BANNER		SO-629C	VFI ELEMENT NEEDS END SEAL PLATE
ST30601S	RACOR/BANNER		SO-630C	VFI ELEMENT NEEDS END SEAL PLATE
ST30601SU	RACOR/BANNER		SO-633GS	VFI ELEMENT NEEDS END SEAL PLATE
ST318FA	FACET		SO-318C	Teflon Separator SO-318C for fixed equipment - refer to SO-318V for mobile equipment Outside In Flow 18.500 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron HV-1416M.
ST324FA	FACET		SO-323C	Teflon Separator SO-323C for fixed equipment - refer to SO-324V for mobile equipment Outside In Flow 23.500 inch OAL 3.000 inch OD 2.0000 inch ID 70 Micron HV-1422.
ST330FA	FACET		SO-330V	SO-330V is the Velcon Equivalent Outside In Flow 30.000 inch OAL 3.000 inch OD 1.9375 inch ID 70 Micron Teflon Separator HV-1428.
ST33601S	RACOR/BANNER		SO-633C	VFI ELEMENT NEEDS END SEAL PLATE
ST36501S	RACOR/BANNER		SO-436V	VFI ELEMENT NEEDS END SEAL PLATE
ST412FB	FACET		SO-412V	
ST412FC	FACET		SO-412V5	
ST415FB	FACET		SO-415V5	
ST417FB	FACET		SO-417V	SO-417V is the Velcon Equivalent Outside In Flow 17.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron Teflon Separator HV-1614.
ST422FC	FACET		SO-422V5	
ST424FB	FACET		SO-424C	Teflon Separator SO-424C for fixed equipment - refer to SO-424V for mobile equipment Outside In Flow 24.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron
ST430FB	FACET		SO-430C	Teflon Separator SO-430C for fixed equipment - refer to SO-430V for mobile equipment Outside In Flow 30.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron HV-1628 IIB 3RD ED.
ST432FC	FACET		SO-432V5	
ST43601S	RACOR/BANNER		SO-643C	VFI ELEMENT NEEDS END SEAL PLATE
ST436FB	FACET		SO-436C	Teflon Separator SO-436C for fixed equipment - refer to SO-436V for mobile equipment Outside In Flow 36.000 inch OAL 4.500 inch OD 3.5600 inch ID 70 Micron AUSTRALIAN AF.
ST44601S	EX		SO-644VA	
ST48601S	RACOR/BANNER		SO-648C	VFI ELEMENT NEEDS END SEAL PLATE
ST609FB	FACET		SO-609VA	SO-609VA is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
ST609FF	FACET		SO-609V	SO-609V is the Velcon Equivalent Outside In Flow 9.000 inch OAL 6.000 inch OD 4.5000 inch ID 70 Micron Teflon Separator 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST611FD	FACET	4330-00-690-4211	SO-611C	Teflon Separator SO-611C for fixed equipment or mobile equipment Outside In Flow 11.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron FACET CS-63T2F.
ST611H	FACET		SO-613GS	
ST612FB	FACET		SO-612VA	SO-612VA is the Velcon Equivalent Outside In Flow 12.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST612FF	FACET		SO-612V	
ST614FD	FACET	4330-01-450-8500	SO-614C	SO-614C is the Velcon Equivalent Outside In Flow 14.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron Teflon Separator 3+1/2 inch ID AT BOTH ENDS. FACET CS-62T2F.
ST614H	FACET		SO-613GS	
ST616FD	FACET		SO-616C	Teflon Separator SO-616C for fixed equipment or mobile equipment Outside In Flow 16.250 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-64T2F.
ST616H	FACET		SO-616GS	
ST618FB	FACET		SO-618VA	Teflon Separator SO-618VA for fixed or mobile equipment Outside In Flow 18.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST622FD	FACET		SO-623C	Teflon Separator SO-623C for fixed or mobile equipment Outside In Flow 22.500 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS. FACET CS-63T2F.
ST622H	FACET		SO-623GS	
ST624FB	FACET		SO-624VA	Teflon Separator SO-624VA for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST624FE	FACET		SO-624PV	Teflon Separator SO-624PV for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST624FF	FACET		SO-624V	Teflon Separator SO-624V for fixed or mobile equipment Outside In Flow 24.000 inch OAL 6.000 inch OD 70 Micron 4.5000 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST629FD	FACET		SO-629C	Teflon Separator SO-629C for fixed equipment or mobile equipment Outside In Flow 29.000 inch OAL 6.000 inch OD 70 Micron 3.5600 inch ID AT BOTH ENDS. FACET CS-62T2F.
ST629H	FACET		SO-629GSF	

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
ST630FB	FACET		SO-630VA	Teflon Separator SO-630VA for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 3.5000 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST630FD	FACET		SO-630C	ALSO SO-630VA
ST630FE	FACET		SO-630PV	Teflon Separator SO-630PV for fixed or mobile equipment Outside In Flow 30.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST633FB	FACET		SO-633VA	Teflon Separator SO-633VA for mobile or fixed equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 40 Micron 3+1/2 inch ID AT BOTH ENDS.
ST633FD	FACET		SO-633C	Teflon Separator SO-633C for fixed or mobile equipment Outside In Flow 33.125 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID BOTH ENDS.
ST633H	FACET		SO-633GS	
ST636FD	FACET		SO-636CA	
ST636FE	FACET		SO-636PV	Teflon Separator SO-636PV for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST636FF	FACET		SO-636V	Teflon Separator SO-636V for fixed or mobile equipment Outside In Flow 36.000 inch OAL 6.000 inch OD 4.500 inch ID 70 Micron 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST640FD	FACET		SO-640C	Teflon Separator SO-640C for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 3.500 inch ID 70 Micron 3+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST640FE	FACET		SO-640PV	Teflon Separator SO-640PV for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST640FF	FACET		SO-640V	Teflon Separator SO-640V for fixed or mobile equipment Outside In Flow 40.000 inch OAL 6.000 inch OD 4.5000 inch ID 70 Micron 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST644FD	FACET		SO-643C	Teflon Separator SO-643C for fixed equipment - refer to SO-644VA for mobile equipment Outside In Flow 43.000 inch OAL 6.000 inch OD 3.5600 inch ID 70 Micron 3+1/2 inch ID AT BOTH ENDS.
ST644FE	FACET		SO-644PV	Teflon Separator SO-644PV for fixed or mobile equipment Outside In Flow 44.000 inch OAL 6.000 inch OD 4.1250 inch ID 70 Micron 4+1/8 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST644FF	FACET		SO-644V	Teflon Separator SO-644V for fixed or mobile equipment Outside In Flow 44.000 inch OAL 6.000 inch OD 4.5000 inch ID 70 Micron 4+1/2 inch ID AT MOUNTING END. BLIND CAP WITH 1/2 inch TIE ROD HOLE.
ST648FD	FACET		SO-648C	
ST648FF	FACET		SO-648CM	ALSO SO-648V

Velcon Cross Reference

Part Number	Manufacturer	NSN	Velcon PN	Comments
ST656FD	FACET			NO CROSS
ST656FF	FACET		SO-656V	
VFG21609	FACET		ACO-60901L	
VFG2160925PL	FACET		AD-60925	
VFG216095PL	FACET		ACO-60901L	